



OF THE

U.S.S. ABBOT

DD-629

IDENTIFICATION NUMBER

COMMANDED BY

A-W: CRAIG, U. S. N.

Attached to { _____ Division,
 _____ Squadron,
 _____ Flotilla,
 _____ Fleet,
 _____ Naval District,

Commencing 1 Dec, 1961,
(zone time and date)

at Newport, Rhode Island
(location)

and ending 31 Dec, 19 61
(zone time and date)

at Newport, Rhode Island
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

ADDITIONAL REMARKS

UNITED STATES SHIP

ARBO T

Dec

(Day)

(Date)

(Month)

19

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET—TYPE B

USS ABBOT 00629 ZONE DESCRIPTION +5R DATE FRIDAY 1 DECEMBER, 19 61
AT/PASSAGE FROM BERTH 211, PIER 2 TO U.S. NAVAL BASE, NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	W	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	208	11	8	CLR	30.25	36	36						
02	208	11	8	CLR	30.25	35	35						
03	210	11	8	CLR	30.24	34	33						
04	220	11	8	CLR	30.23	33	31						
05	230	10	8	CLR	30.21	34	32						
06	240	10	8	CLR	30.22	34	32						
07	250	10	8	CLR	30.22	34	32						
08	270	9	8	CLR	30.23	32	30						
09	290	7	8	CLR	30.24	34	32						
10	300	5	8	CLR	30.22	34	32						
11	320	6	8	SET	30.21	36	34						
12	325	7	8	SET	30.20	38	36						
13	320	7	7	SET	30.18	40	39						
14	320	7	7	SET	30.18	42	41						
15	310	8	7	BKN	30.17	44	43						
16	310	10	7	SET	30.15	45	43						
17	305	8	7	CLR	30.14	42	40						
18	310	9	8	CLR	30.12	41	40						
19	320	7	8	CLR	30.12	41	40						
20	325	5	8	CLR	30.11	41	40						
21	325	5	8	CLR	30.12	39	38						
22	330	5	8	CLR	30.13	37	37						
23	330	5	8	CLR	30.14	37	37						
24	325	6	8	CLR	30.15	37	37						

POSITION ZONE TIME

0600 L _____ BY _____

1200 L _____ BY _____

2000 L _____ BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored Starboard Side to Pier 2, berth 211, U.S. Naval Base, Newport, R.I. USING STANDARD DESTROYER mooring lines doubled. Condition of readiness five and modified material condition voice are set. Boiler No. 4 and Ship's Service Generator No. 1 are on the line for Auxiliary Purposes. Ships present include units of the U.S. and Canadian Atlantic Fleets and Local Service Craft. SOPA is ComDes flot 2 aboard USS Arcadia (AO-23).

C. F. Egan
Ensign USNR

04-08 Moored as before. 0745 Mustered the Crew at Quarters. Absentees: None.

C. F. Egan
Ensign USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP *ABBOT (DD 629)*

FRIDAY *1* *DEC.* 19 *61*
(Day) (Date) (Month)

08-12 Moored as before. 0922 Commenced taking on fresh water 0942 Completed taking on fresh water having received 5,084 gallons. 1030 Stationed the special sea and anchor detail, made all preparations for getting underway. Draft fwd 13'-6" Draft aft 13'-6" Captain and Navigator on the bridge. 1047 Made daily inspection of magazines and smokeless powder samples - conditions normal; conducted weekly test of magazine sprinkler systems, conditions satisfactory. 1058 Underway in accordance with Deslant Afloat Engineering School Operating Schedule. Manoeuvring on various courses at various speeds while conforming to the channel. 1116 passed Rose Island light abeam to port. 1120 passed East Passage Buoy #11 abeam to starboard. 1125 passed Castle Hill Light abeam to port. 1134 passed Brenton Reef light ship abeam to starboard. 1135 Secured the special sea and anchor detail. This ship steaming at various speeds on various courses while Deslant Engineering School conducts classes.

P.F. Finch
Ensign USN

12-16 Steaming as before. 1300 exercised the crew at General Quarters. 1354 Secured from General Quarters. 1435 let the special sea and anchor detail. 1435 passed Brenton Reef light ship abeam to port. 1445 Passed Castle Hill light abeam to starboard. 1450 Passed East Passage Buoy #11 abeam to port. 1454 Passed Rose Island light abeam to starboard. 1505 Manoeuvring at various courses & speeds while standing into port. 1510 Moored starboard side pier #2, in berth 211, Newport Naval Base, Newport, R.I. with standard mooring lines doubled. 1516 Secured the special sea and anchor detail, set the regular in port watch. 1534 Captain held mast, awarded Roberts, FN 2 weeks extra duty. 1538 Secured from Captain's Mast.

P.F. Finch
Ensign USN

16-20 Moored as before. 1750 YO 248 moored portside. 1820 Commenced fueling from YO 248. 1900 Completed fueling. 1915 YO 248 underway.

P.F. Finch
Ensign USN

20-24 Moored as before.

P.F. Finch
Ensign USN

APPROVED:

EXAMINED:

A. W. Craig

U. S. N. COMMANDING

Roburn LTB

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE SATURDAY 2 DECEMBER, 19 61
(Day) (Date) (Month)
AT/PASSAGE FROM BERTH 211 PIER 2 TO U.S. NAVAL BASE, NEWPORT R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbol)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVE		POSITION	ZONE	TIME
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)			
01	225	3	8	CLR	30.10	36	36									
02	215	3	8	CLR	30.10	37	37									
03	230	3	8	CLR	30.11	38	38									
04	220	3	8	CLR	30.11	41	39									
05	215	2	8	CLR	30.10	42	40									
06	215	2	8	CLR	30.11	42	41									
07	225	2	8	CLR	30.12	40	39									
08	240	2	8	CLR	30.12	44	42									
09	240	2	8	CLR	30.12	45	43									
10	240	2	8	CLR	30.11	46	44									
11	230	2	8	CLR	30.10	45	44									
12	220	2	8	CLR	30.10	45	44									
13	210	2	8	CLR	30.09	45	45									
14	220	3	8	CLR	30.09	45	44									
15	220	3	6	BKN	30.08	44	43									
16	220	3	6	BKN	30.07	44	43									
17	225	3	3	FOG	30.06	44	43									
18	220	3	3	FOG	30.05	43	42									
19	220	3	3	FOG	30.05	44	42									
20	220	3	3	FOG	30.04	43	43									
21	220	3	3	FOG	30.03	43	43									
22	225	3	3	FOG	30.02	42	42									
23	230	3	3	FOG	30.01	41	40									
24	230	5	3	FOG	30.01	40	40									

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L. _____

MID. A. _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

06-04 Moved starboard side to Pier 2, in berth 211, at U.S. Naval Base, Newport, R.I., with standard Destroyer mooring lines doubled and stem lines fore and aft. Condition of Readiness V and Material Condition Modified. Yoke are set. This ship receiving all services from the pier. SOPA is Com DesFlot 2 aboard USS Annapolis (AD 23). Ships present include various units of Canadian Navy and US Atlantic Fleet and local service craft.

P. F. Finch

Ens USN

04-08 Moved as before. 0735 USS Compton (DD 705) moved outboard. 0745 Mustered the crew at quarters for inspection and instruction; absentees: Hudson, D.L. 540-69-79 SN since 0730 this date.

P. F. Finch

Ens USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629)

Saturday 2 December 1961
(Day) (Date) (Month)

08-12 Moored as before. 1041 Made daily inspection of magazine and smokeless powder samples. Conditions normal. 1150 Hudson, D.L., 5406979, SN, USN, returned aboard, having been AWOL since 0730 this date.

E.J. Gallagher
Ens. USNR

12-16 Moored as before.

E.J. Gallagher
Ens. USNR

16-20 Moored as before.

E.J. Gallagher
Ens. USNR

20-24 Moored as before. 2218 Foote, J.D., 5403541, SN, USN was returned to the ship by Shore Patrol for drinking under age. 2245 Wassik, M.M.I. was returned to the ship by Shore Patrol. 1

E.J. Gallagher
Ens. USNR

APPROVED:

A. H. Craig

U. S. N. COMMANDING

EXAMINED:

Roburn LTB

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET—TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION +5 R DATE Sunday 3 December, 19 61
(Day) (Date) (Month)
AT/PASSAGE FROM Berth 211 Pier 2 to U.S. Naval Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	W	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	345	8	3	FOG	30.11	41	40						
02	350	10	3	FOG	30.12	40	40						
03	355	10	3	FOG	30.10	42	40						
04	355	16	3	FOG	30.10	42	40						
05	355	10	3	FOG	30.11	42	40						
06	340	9	3	FOG	30.12	41	40						
07	340	9	4	FOG	30.12	41	39						
08	340	9	6	BKN	30.13	43	41						
09	340	9	6	BKN	30.15	43	41						
10	340	9	8	CLR	30.17	43	41						
11	340	9	8	CLR	30.19	45	43						
12	330	12	8	CLR	30.20	45	43						
13	320	10	8	CLR	30.21	45	43						
14	310	10	8	CLR	30.22	45	43						
15	315	8	6	BKN	30.24	44	43						
16	320	6	6	BKN	30.26	44	43						
17	340	5	5	FOG	30.26	46	44						
18	330	5	5	FOG	30.28	46	45						
19	325	2	5	FOG	30.29	45	43						
20	325	2	5	FOG	30.28	45	43						
21	325	2	5	FOG	30.28	44	42						
22	325	5	5	FOG	30.28	43	42						
23	315	4	5	FOG	30.29	42	41						
24	304	3	4	FOG	30.30	40	40						

POSITION ZONE TIME

0800
L _____ BY _____
λ _____ BY _____

1200
L _____ BY _____
λ _____ BY _____

2000
L _____ BY _____
λ _____ BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 Moored starboard side to Pier 2, in Berth 211, at U.S. Naval Base, Newport, R.I., in a nest of two ships, with standard destroyer mooring line, doubled, and 8" storm line, forward and aft. Ships outboard from the pier are: ABBOT and U.S.S. Compton (DD-705). Condition of readiness II and Material Condition Yoke (Modified) are set. This ship is on "Cold Iron", receiving all utilities from the pier. SOPA is Com Des Flot 2 aboard U.S.S. Arcadia (AD-23). Ships present include various units of U.S. Atlantic Fleet and local service craft.

E. J. Gallagher
Ensign USNR

04-08 Moored as before. 0730 Mustered the crew on station. No man-thronged absentees.

E. J. Gallagher
Ensign USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629)

Sunday 3 December, 19 61
(Day) (Date) (Month)

08-12 Moored as before. 0940 Made daily inspection of magazine and
smokeless powder samples. Conditions normal.

E. J. Gallagher
Ens. USNR

12-16 Moored as before.

E. J. Gallagher
Ens. USNR

16-20 Moored as before.

E. J. Gallagher
Ens. USNR

20-24 Moored as before.

E. J. Gallagher
Ens. USNR

APPROVED:

A. H. Craig

U. S. N. COMMANDING

EXAMINED:

Roburn

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET—TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION 45 R DATE Monday 4 December, 19 61
AT/PASSAGE FROM Berth 211, Pier 2 TO U.S. Naval Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	W	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	340	5	8	CLR	30.25	41	40						
02	360	7	8	CLR	30.24	41	40						
03	370	7	8	CLR	30.25	41	40						
04	375	7	7	CLR	30.26	40	39						
05	375	4	7	CLR	30.27	41	39						
06	360	4	7	OVC	30.28	41	39						
07	340	3	7	OVC	30.30	41	39						
08	340	3	7	OVC	30.30	41	40						
09	340	3	5	FOG	30.31	42	41						
10	340	3	5	FOG	30.32	42	41						
11	330	2	4	FOG	30.34	43	43						
12	325	2	4	FOG	30.32	46	45						
13	323	2	4	FOG	30.30	50	48						
14	320	2	4	FOG	30.29	46	44						
15	310	4	5	OVC	30.27	48	46						
16	300	5	5	OVC	30.25	45	45						
17	300	5	5	OVC	30.23	45	45						
18	300	7	5	OVC	30.21	45	45						
19	300	10	5	OVC	30.19	46	45						
20	295	14	6	CLR	30.17	47	46						
21	290	11	6	CLR	30.15	48	47						
22	280	13	7	CLR	30.13	49	49						
23	275	16	7	CLR	30.11	49	48						
24	270	18	7	CLR	30.09	48	48						

POSITION ZONE TIME

0800 L _____ BY _____

λ _____ BY _____

1200 L _____ BY _____

λ _____ BY _____

2000 L _____ BY _____

λ _____ BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moved starboard side to Pier 2, in Berth 211, at U.S. Naval Base, Newport, R.I. in a nest of two ships, with standard destroyer mooring lines, doubled, and 8" storm lines foreward and aft. Ships outboard from the pier are: ABBOT and U.S.S. Compton (DD-105). Condition of readiness I and material condition Cope (Modified) are set. This ship is on "Cold Iron", receiving all utilities from the pier. SOPA is Com Des Flot 2 aboard U.S.S. Accadia (AD-23) Ships present include various units of U.S. Atlantic Fleet and local service craft

E.J. Gallagher
Enr. USNR

04-08 Moved as before. 0745 Mustered the crew at quarters. No unauthorized absences.

E.J. Gallagher Enr. USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629)

Monday 4 December 1961
(Day) (Date) (Month)

08-12 Moved as before. 0647 USS Compton (DD-705) departed the west.
0930 Set material condition Yoke 1000 Made daily inspection
of magazines and smokeless powder samples. Conditions normal.
1030 Underway in accordance with Aslant engineering
school operational schedule. Manueuvring at various
courses and speeds while clearing berth and conforming
to channel 1108 Passed Brenton light ship abeam
to starboard.

PB Ellis
Ensign USNR

12-16 Steaming as before 1300 Exercised the crew at general
quarters. 1311 Condition Zebra set throughout the ship.
1353 Set material condition Yoke 1354 Secured from
general quarters 1436 Passed Brenton light ship abeam to
port. Manueuvring on various courses at various speeds
while entering port. 1505 Moved port side to pier #2
at berth 221, US Naval Base, Newport, R.I., with
standard lines doubled and 8" stern line out fore and
aft.

PB Ellis
Ensign USNR.

16-20 Moved as before

PB Ellis
Ensign USNR

20-24 Moved as before 2305 Commenced taking on fresh water
2326 Secured from taking on fresh water, 6042 gallons
received.

PB Ellis
Ensign USNR.

APPROVED:

EXAMINED:

A. W. Craig

U. S. N. COMMANDING

Roburn LTJG

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET—TYPE B

USS ARROT (00-629) ZONE DESCRIPTION +5 (R) DATE TUESDAY 5 DECEMBER, 1961
AT/PASSAGE FROM Berth 221, Pier 2 TO U.S. Naval Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVE		POSITION	ZONE	TIME	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)				
01	194	18	5	OVC	29.52	52	50										
02	194	18	5	OVC	29.50	52	50										
03	195	19	5	OVC	29.50	52	50										
04	200	20	5	OVC	29.52	52	50										
05	196	18	5	OVC	29.53	51	50										
06	205	19	5	OVC	29.51	52	51										
07	210	20	5	OVC	29.50	52	51										
08	210	20	4	RAIN	29.49	54	53										
09	210	20	4	RAIN	29.50	54	54										
10	220	20	4	OVC	29.48	54	53										
11	223	25	2	FOG	29.50	53	53										
12	225	24	2	FOG	29.51	55	53										
13	235	26	5	SCT	29.53	55	54										
14	250	24	6	SCT	29.55	55	54										
15	235	22	6	SCT	29.57	53	51										
16	220	18	7	CLR	29.59	52	49										
17	210	16	7	CLR	29.60	49	46										
18	200	12	7	CLR	29.62	46	44										
19	190	13	7	CLR	29.62	46	44										
20	180	15	7	CLR	29.62	45	44										
21	170	14	7	CLR	29.62	45	44										
22	170	15	7	CLR	29.63	43	41										
23	170	15	7	CLR	29.64	40	39										
24	155	15	7	CLR	29.65	40	40										

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. X

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored port side to Pier 2, Berth 211, at U.S. Naval Base, Newport, R.I., with standard dethrogs mooring lines, doubled, and storm lines, 8" forward and aft. Condition of readiness I and Material Condition Yake (Modified) are set. This ship receiving all utilities from the pier. Boilers #3 and generator #2 are let off for auxiliary purposes. SOPA is ComDesFlot aboard U.S.S. Arcadia (AD-23). Ships present include various units of U.S. Atlantic Fleet and local service craft.

Eugene J. Gallagher
Ens. USNR

04-08 Moored as before. 0745 Mustered the crew at foul weather parade. No unauthorised absentees.

Eugene J. Gallagher
Ens. USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP Abbot (DD629)

TUESDAY 5 December 1961
(Day) (Date) (Month)

08-12 Moored as before. 0931 Made daily inspection of magazines and smokeless powder samples. Conditions Normal. 0930 Made preparations for getting underway. DRAFTS: Forward 13'7", Aft 13'6", Displacement 2825 tons. 1000 Stationed the Special Sea Detail. 1028 Underway in accordance with Declant Engineering School Op-Spec. Maneuvering at various courses and speeds to conform to the channel. 1053 Passed Race Island Light abeam to Port. 1057 Passed buoy #11 abeam to Starboard. 1100 Passed Castle Hill Light abeam to Port. 1105 Secured the Special Sea Detail. 1110 Passed Brenton Reef Lightship abeam to Starboard. Commenced steering various courses and speeds while conducting Engineering Drills.

C. F. Egan
Ensign USNR

12-16 Steaming as before. 1438 Secured from Engineering drills; Set the Special Sea Detail; Passed Brenton Reef Lightship abeam to Port; Commenced steering various courses and speeds to conform to channel. 1444 Passed Castle Hill Lightship abeam to Starboard. 1449 Passed buoy #11 abeam to Port. 1453 Passed Race Island Light abeam to Starboard. 1508 Moored port side to berth 261, U.S. Naval Base, Newport, R.I., using standard mooring lines double.

C. F. Egan
Ensign USNR

16-20 Moored as before. 1900 Held Fire Drill. 1910 Secured from Fire Drill.

C. F. Egan
Ensign USNR

20-24 Moored as before.

C. F. Egan
Ensign USNR

APPROVED:

EXAMINED:

A. W. Craig

U. S. N. COMMANDING

Colum LTJG

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET—TYPE B

USS Abbot (DD-629) ZONE DESCRIPTION 45 R DATE WED 6 December, 19 61
(Day) (Date) (Month)
AT/PASSAGE FROM Berth 261, Pier 2, U.S. Naval Base TO Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	W		POSITION	ZONE	TIME	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)				
01	255	13	7	CLR	29.73	40	39										
02	255	15	7	CLR	29.73	38	37										
03	275	17	7	CLR	29.71	38	37										
04	295	17	8	CLR	29.70	38	37										
05	300	17	8	CLR	29.71	39	38										
06	310	17	8	CLR	29.72	39	38										
07	320	14	8	CLR	29.74	37	37										
08	344	15	8	CLR	29.76	38	37										
09	349	14	8	CLR	29.77	39	38										
10	375	15	8	CLR	29.76	40	39										
11	380	12	8	CLR	29.75	41	39										
12	380	18	8	CLR	29.73	41	40										
13	380	16	8	CLR	29.71	43	41										
14	385	15	8	CLR	29.71	44	43										
15	390	10	8	CLR	29.70	47	45										
16	390	8	8	CLR	29.71	45	44										
17	380	10	8	CLR	29.71	43	42										
18	375	8	8	CLR	29.71	39	38										
19	365	5	8	CLR	29.71	39	38										
20	370	5	8	CLR	29.70	40	39										
21	380	6	8	CLR	29.69	42	41										
22	375	5	8	CLR	29.69	43	42										
23	366	9	8	CLR	29.69	41	40										
24	380	9	8	CLR	29.68	41	40										

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400 _____

FUEL CONSUMED
0000-2400 _____

REMARKS

00-04 Moved Prost Side to Pier 2, Berth 261, U.S. Naval Base, Newport, R.I., using STANDARD mooring lines doubled and stow lines forward and aft. Material Condition Yoke (mattered) and Condition of Readiness I are set Boiler No. 3, and Ship Service Generator No. 2 are on the line for auxiliary purposes. Ships present include units of the U.S. Atlantic Fleet and Local Service Craft. SOPA is ComDes Flot Two in USS ARCADIA (AD-23).

C. F. Egan
Ens. USNR

04-08 Moved as before. 0745 Mustered the Crew at Quarters. No Unauthorized Absentees.

C. F. Egan
Ens. USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) WEDNESDAY 6 DEC., 19 61
(Day) (Date) (Month)

08-12 Moored as before 0902 Hooker, C.F 526 78 66, BT3, USN departed ship to report to Shore Patrol Headquarters, Newport, R.I. for duty 0922 Commenced taking on fresh water. 1000 Completed taking on fresh water having received 6,804 gallons. 1000 Stationed the Special Sea & Anchor Detail; made all preparations for getting underway. Draft fwd: 13'-7"; draft aft: 13'-5". Captain and Navigator on the bridge 1027 Underway in accordance with Deslant Afloat Engineering School Operating Schedule. Maneuvering on various courses at various speeds while conforming to the channel 1046 passed Rose Island Light ahead to port 1050 passed East Passage Buoy #11 ahead to stbd. 1055 passed Castle Hill Light ahead to port 1102 passed Brenton Reef Light ship. Secured the Special Sea and Anchor Detail 1110 Made daily inspection of all magazines and smokeless powder samples; conditions normal. This ship moving at various speeds while Engineering School conducts Drills.

R.A.K. Taylor
Ens USN

12-16 Steaming as before 1300 Exercised the crew at General Quarters; conducted damage control drill with Damage Control Repair Parties. Condition Zebra set. 1343 Condition Yoke set 1345 Secured from General Quarters 1436 Set the Special Sea and Anchor Detail, made all preparations for entering port. 1439 passed Brenton Reef Light ship ahead to port 1448 passed Castle Hill Light ahead to stbd. Maneuvering on various courses at various speeds to conform with channel. 1453 passed East Passage Buoy #11 ahead to port 1457 passed Rose Island Light ahead to stbd. 1511 Moored port side to Pier #2 in berth 221 at Newport Naval Base, Newport, R.I., using standard mooring lines doubled 1521 Secured the Special Sea and Anchor Detail, set the regular inport watch.

R.A.K. Taylor
Ens USN

16-20 Moored as before

R.A.K. Taylor
Ens USN

20-24 Moored as before 2200 Boiler Casing fire reported ROKZ in #2 Boilers in B-1 2212 Fire is out, reflash watch set; minor damage reported. 2226 Commenced taking on fresh water 2245 Completed taking on fresh water having received 6,204 gallons

R.A.K. Taylor
Ens USN

APPROVED:

EXAMINED:

A. W. Craig

U. S. N. COMMANDING

R. A. K. Taylor

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET—TYPE B

USS ABBOT DD629 ZONE DESCRIPTION +5 R DATE THURSDAY 7 DEC., 19 61
(Day) (Date) (Month)
AT/PASSAGE FROM Berth 221, Pier 2 TO U.S. Naval Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bol)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	W		POSITION	ZONE	TIME	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)				
01	180	9	8	CLR	29.61	43	41										
02	170	10	8	CLR	29.60	43	41										
03	150	10	8	CLR	29.59	41	40										
04	160	11	8	CLR	29.59	42	41										
05	165	10	8	CLR	29.57	42	41										
06	150	11	8	CLR	29.55	43	41										
07	140	9	8	CLR	29.54	44	42										
08	180	12	8	CLR	29.53	42	41										
09	180	15	8	CLR	29.52	43	42										
10	185	19	8	CLR	29.51	45	44										
11	198	18	6	OVC	29.51	46	44										
12	220	19	6	OVC	29.50	45	44										
13	240	17	6	OVC	29.49	45	44										
14	280	15	6	OVC	29.49	45	43										
15	300	12	6	OVC	29.48	45	43										
16	280	10	6	OVC	29.48	45	43										
17	250	11	6	OVC	29.48	44	43										
18	230	10	6	OVC	29.49	44	43										
19	240	15	6	OVC	29.50	43	42										
20	260	14	5	OVC	29.52	44	42										
21	280	15	5	OVC	29.54	42	41										
22	300	15	5	OVC	29.56	41	40										
23	310	16	5	OVC	29.56	39	39										
24	310	12	5	OVC	29.56	39	39										

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)

SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L. _____
MID. λ. _____

MILES STEAMED 0000-2400 _____

FUEL CONSUMED 0000-2400 _____

REMARKS

00-04 Moored port side to Pier 2, in berth 221, at U.S. Naval Base, Newport, R.I. with standard destroyer mooring lines doubled. Condition of Readiness V and Material Condition Modified Yake are set. This ship under own power, receiving fresh water from the pier. SOPA is ComDes Flot 2 aboard USS Arcadia (AD 23). Ships present include various units of the U.S. Atlantic Fleet and local service craft.

R. G. K. Taylor
Cns USN

04-08 Moored as before 0745 Mustered the crew at quarters, absentees: none.

R. G. K. Taylor
Cns USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629)

THURSDAY 7 DEC 1961
(Day) (Date) (Month)

08-12 Moored as before 0920 Made daily inspection of all magazines and smokeless powder magazines; conditions normal 1000 Stationed the Special Sea and Anchor Detail; made all preparations for getting underway. Draft Fwd 13'-6" Draft Aft 13'-6" 1026 Underway in accordance with Dept of Engineering School Operating Schedule. 1046 Passed Rose Island Light abeam to port 1049 Passed East Passage Turning Buoy # 11 abeam to starboard 1053 Passed Castle Hill Light abeam to port 1101 Secured the Special Sea and Anchor Detail, set regular underway watch. This ship steaming on various courses and at various speeds while Engineering School conducts classes.

P. F. Finch
ENS USN

12-16 Steaming as before 1438 Stationed the Special Sea and Anchor Detail 1447 passed Castle Hill Light abeam to starboard 1452 passed East Passage Buoy # 11 abeam to port 1457 passed Rose Island Light abeam to starboard 1511 Moored portside to Pier # 2 in berth 221, at US Naval Base, Newport, R.I. with standard destroyer mooring lines doubled and stem lines fore and aft. 1519 Secured the Special Sea and Anchor Detail, set the regular inport watch.

P. F. Finch
ENS USN

16-20 Moored as before 1900 Conducted fire drill 1910 Secured from fire drill.

P. F. Finch
ENS USN

20-24 Moored as before.

P. F. Finch
ENS USN

APPROVED:

A. W. Craig

U. S. N. COMMANDING

EXAMINED:

Coburn LTJG

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION #5 R DATE FRIDAY 8 DEC, 19 61
AT/PASSAGE FROM Berth 221, PIER 2 to US NAVAL BASE, NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WIND		POSITION	ZONE	TIME
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)			
01	210	12	8	CLR	29.86	48	48									
02	200	12	7	CLR	29.85	46	46									
03	190	10	7	CLR	29.83	44	44									
04	180	13	7	CLR	29.82	42	41									
05	170	13	5	CLR	29.80	40	39									
06	160	14	5	CLR	29.78	37	36									
07	150	15	5	OVC	29.76	34	33									
08	140	16	5	OVC	29.75	32	32									
09	138	18	5	OVC	29.75	32	32									
10	130	20	5	OVC	29.75	34	33									
11	135	23	6	OVC	29.76	36	35									
12	145	24	7	OVC	29.76	38	37									
13	285	31	7	OVC	29.76	40	40									
14	300	30	7	OVC	29.74	40	39									
15	315	25	7	CLR	29.76	40	40									
16	305	20	7	CLR	29.76	36	35									
17	290	15	7	CLR	29.77	34	34									
18	280	10	7	CLR	29.78	34	33									
19	270	10	7	CLR	29.79	35	34									
20	260	10	7	CLR	29.80	35	35									
21	250	10	7	CLR	29.82	35	34									
22	230	10	7	CLR	29.84	35	34									
23	230	10	7	CLR	29.86	35	34									
24	200	10	7	CLR	29.88	34	34									

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L. _____
MID. A. _____

MILES STEAMED 0000-2400 _____

FUEL CONSUMED 0000-2400 _____

REMARKS

00-04 Moved port side to Pier 2, in berth 221, at US Naval Base, Newport, R.I., with standard des-troyer mooring lines doubled and star lines fore and aft. Condition of Readiness I and Material Condition Modified Yoke are set. This ship under own power receiving fresh water from the pier. SOPA is Com Deslot 2 aboard USS Arcadia (AD 23). Ships present include various units of the US Atlantic Fleet and local service craft. 01215 Devos, M.F. 370-38-90 EN3 returned to ship by Shore Patrol. P.F. Finch Ens USN

04-08 Moored as before. 0745 Mustered the crew at quarters for inspection and instruction, Absentees: none. P.F. Finch Ens USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) FRIDAY 8 DECEMBER, 19 61
(Day) (Date) (Month)

08-12 Moored as before. 0810 Hit off #1 Buoy 0913 Commenced taking
on fresh water 0930 Secured from taking on fresh water, 3914 gallons
received. 1000 Made daily inspection of magazines and
ammunition powder samples. ^{Condition normal} 1003 Set the special sea and
anchor detail 1026 Underway in accordance with Assistant
Engineering School Instructions, (underway phase) maneuvering
on various courses at various speeds to conform with East Passage
Channel. 1100 Secured special sea and anchor detail 1101 Passed
Brenton light ship beam to starboard 1102 Commenced
engineering drills

P.B. Ellis
Ens. USNR

12-16 Steaming as before 1421 Secured from engineering drills.
1424 Passed Brenton light ship beam to port, set the special
sea and anchor detail. Maneuvering on various courses at various
speeds to conform with East Passage Channel. 1457 YTB361
tied up to starboard bow 1501 Moored port-side to pier #2, Berth #221,
at US Naval Base, Newport, R.I. with standard mooring lines doubled
YTB 361 cast off. 1512. Secured special sea and anchor detail

P.B. Ellis
Ens. USNR

~~20~~ 16-20 Moored as before

P.B. Ellis
Ens. USNR

20-24 Moored as before

P.B. Ellis
Ens. USNR

APPROVED:

EXAMINED:

A. W. Craig

U. S. N. COMMANDING

Roburn LTJG

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION TSR DATE SATURDAY 9 DECEMBER, 19 61
(Day) (Date) (Month)
AT/PASSAGE FROM BERTH 221 PIER 2 TO U.S. NAVAL BASE NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	115	6	7	CLR	30.22	34	34						
02	115	8	7	CLR	30.14	34	34						
03	115	8	7	CLR	30.16	34	34						
04	120	8	7	CLR	30.18	32	32						
05	125	8	7	CLR	30.21	31	31						
06	125	8	7	CLR	30.22	30	30						
07	125	8	7	CLR	30.24	30	29						
08	125	8	7	CLR	30.26	30	29						
09	130	8	7	CLR	30.28	32	31						
10	130	5	7	CLR	30.30	33	32						
11	135	6	7	CLR	30.30	34	32						
12	135	6	7	CLR	30.30	36	34						
13	140	6	7	CLR	30.31	37	37						
14	130	6	7	CLR	30.30	38	37						
15	140	6	7	CLR	30.31	39	39						
16	134	6	7	CLR	30.32	39	39						
17	135	3	7	CLR	30.33	39	38						
18	135	3	7	CLR	30.33	37	37						
19	270	7	7	OVC	30.34	36	36						
20	275	9	6	OVC	30.33	34	32						
21	280	8	6	OVC	30.32	32	31						
22	275	8	6	OVC	30.31	32	31						
23	285	5	6	OVC	30.30	35	34						
24	280	3	6	OVC	30.29	34	34						

POSITION ZONE TIME

0800
L _____ BY _____
λ _____ BY _____

1200
L _____ BY _____
λ _____ BY _____

2000
L _____ BY _____
λ _____ BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)

SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 Moved port side to pier #2 at berth #221 at the US Naval Base, Newport, R.I., with standard mooring lines doubled and an 8" storm line out fore and aft. The Plant is cued. Receiving all service from the pier. Modified condition value and condition of readiness is an act. SOPA is Condition 2 in the USS Arcadia (AD-23).

PB Ellis
Ens. USNR

04-08 Moved as before 0750 Commenced taking on fresh water

PB Ellis
Ens. USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOY (DD 629)

SATURDAY 9 DECEMBER 19 61
(Day) (Date) (Month)

08-12 Moored as before. 0800 Mustered the crew on stations. 0945 Made daily inspection of magazine and smokeless powder samples. Conditions normal. 1020 YO 205 alongside to starboard. 1027 Commenced taking on fuel from YO 205. 1115 Secured from taking on fuel from YO 205 having received 29,756 gallons. 1125 YO 205 cleared from starboard side.

John M. Kelleher
Ens. USNR

12-16 Moored as before.

John M. Kelleher
Ens. USNR

16-20 Moored as before. 1637 Exercised crew at fire drill. 1642 Secured from fire drill.

John M. Kelleher
Ens. USNR

20-24 Moored as before.

John M. Kelleher
Ens. USNR

APPROVED:

A. W. Craig

U. S. N. COMMANDING

EXAMINED:

Robert L. TSC

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION T-5 R DATE SUNDAY 10 DECEMBER 1961
(Day) (Date) (Month)
AT/PASSAGE FROM BERTH 221 PIER 2 TO U.S. NAVAL BASE, NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVE		POSITION	ZONE	TIME	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)				
01	050	5	5	OVC	30.04	37	36										
02	070	5	5	OVC	30.04	36	36										
03	080	4	5	OVC	30.04	36	35										
04	090	4	5	OVC	30.03	38	38										
05	120	4	5	OVC	30.03	37	36										
06	130	4	3	SNOW	30.03	38	37										
07	140	3	4	SNOW	30.03	37	36										
08	150	3	4	SNOW	30.04	37	36										
09	150	3	4	SNOW	30.05	36	36										
10	150	4	4	RAIN	30.06	36	36										
11	140	4	4	RAIN	30.08	36	36										
12	135	2	4	RAIN	30.07	41	40										
13	120	2	3	RAIN	30.07	40	39										
14	100	2	3	RAIN	30.06	40	39										
15	090	2	3	RAIN	30.06	40	39										
16	070	2	2	FOG	30.05	40	40										
17	060	2	2	FOG	30.04	41	40										
18	080	4	2	FOG	30.03	42	40										
19	100	4	3	FOG	30.03	41	39										
20	135	5	2	FOG	30.05	42	40										
21	135	5	1	FOG	30.05	39	39										
22	135	4	1	FOG	30.05	40	39										
23	140	3	1	FOG	30.06	40	40										
24	140	3	1	FOG	30.06	40	40										

POSITION ZONE TIME

0800
L. _____ BY _____
λ. _____ BY _____

1200
L. _____ BY _____
λ. _____ BY _____

2000
L. _____ BY _____
λ. _____ BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L. _____
MID. λ. _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 Moved port side to Pier 2 in Berth 221, at U.S. Naval Base, Newport, R.I. with standard destroyer mooring lines doubled, 8" storm lines fore and aft. Condition of readiness I and Material Condition Yoke (modified) are set. This ship is on "Cold Iron" receiving all utilities from the pier. SOPA is Comdes Flot 2 aboard U.S.S. ARCADIA (AO-23). Ships present include various units of U.S. Atlantic Fleet and local service craft.

John M. Kelleher
Ens USNR

04-08 Moored as before. 0800 mustered the crew on station. No unauthorized absences.

John M. Kelleher
Ens USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629)

SUNDAY 10 DECEMBER 61
(Day) (Date) (Month)

08-12 Moved as before. 1030 Made daily inspection of magazine and smokeless powder samples. Conditions normal. 1049 Lighted fires under #3 boiler.

John M. Kelleher
Ens. USNR

12-16 Moved as before. 1230 Secured fires under #3 boiler.

John M. Kelleher
Ens. USNR

16-20 Moved as before. 1900 Lehman, C.D. 822 25 93, PC 2, USN reported aboard from the U.S.S. LAFFEY (DD 724) for duty. 1914 SCHEFFLIN, S.C. 539 95 11, SN phoned in as over leave due to transportation difficulties.

John M. Kelleher
Ens. USNR

20-24 Moved as before.

John M. Kelleher
Ens. USNR

APPROVED:

A. H. Craig

U. S. N. COMMANDING

EXAMINED:

McBurn LTJG

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION +5 R DATE MONDAY 11 DECEMBER 1961
(Day) (Date) (Month)
AT/PASSAGE FROM Berth 221 Pier 2 TO U.S. Naval Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	W	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	134	3	3	FOG	30.03	41	40						
02	134	3	3	FOG	30.05	41	40						
03	134	3	5	OVC	30.04	40	40						
04	120	3	5	OVC	30.04	40	40						
05	140	3	5	OVC	30.05	40	39						
06	130	3	5	OVC	30.07	40	39						
07	150	5	5	OVC	30.08	41	40						
08	170	8	7	OVC	30.10	43	42						
09	190	10	7	OVC	30.12	43	42						
10	190	10	7	OVC	30.14	44	43						
11	200	11	7	OVC	30.17	44	43						
12	200	8	7	OVC	30.15	44	43						
13	215	8	7	BKN	30.15	45	45						
14	225	10	7	BKN	30.15	47	46						
15	210	8	7	BKN	30.16	49	48						
16	175	9	7	BKN	30.16	50	49						
17	175	11	7	BKN	30.17	48	47						
18	184	8	7	BKN	30.17	48	47						
19	195	7	8	CLR	30.18	43	42						
20	210	5	8	CLR	30.19	42	42						
21	220	5	8	CLR	30.20	41	41						
22	250	5	8	CLR	30.21	40	40						
23	260	5	8	CLR	30.22	39	39						
24	240	4	8	CLR	30.22	40	40						

POSITION ZONE TIME

0600
L _____ BY _____
λ _____ BY _____

1200
L _____ BY _____
λ _____ BY _____

2000
L _____ BY _____
λ _____ BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 Moved port side to Pier 2, berth 221 at U.S. Naval Base, Newport, R.I. with standard dewatering mooring lines doubled and 8" storm lines forward and aft. Condition of readiness 1 and Material Condition Yoke (unmodified) one set. #3 boiler is lit off and this ship is receiving all utilities from pier. SOPA is Com Des Flot 2 aboard ^{J.M.K.} U.S.S. ARCADIA (AD-23) J.M.K. Ships present include various units of the U.S. Atlantic Fleet and local service craft
John M. Kelleher
Ens. USNR

04-08 Moved as before. 0745 mustered the crew for quarters. SCHEFFLIN, S.C. 538 95 & only unauthorized absentee.
John M. Kelleher
Ens. USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT DDG29

MONDAY 11 DEC, 19 61
(Day) (Date) (Month)

08-12 Moored as before. 1000 Set the Special Sea and Anchor Detail, made all preparations for getting underway. Draft forward: 13'-9"; draft aft: 13'-9". 1026 Underway in accordance with Desant Afloat Engineering School Operating Schedule. Captain and Navigator on the Bridge. Maneuvering on various courses at various speeds to conform to harbor and channel. 1050 passed Rose Island Light abeam to port. 1055 passed East Passage Buoy #11 abeam to stbd. 1059 passed Castle Hill Light abeam to port. 1100 conducted daily inspection of all magazines and smokeless powder samples; conditions normal. 1105 Secured the Special Sea and Anchor Detail. 1106 passed Brenton Reef Lightship abeam to stbd. Maneuvering at various courses at various speeds while Engineering School conducts Casualty Control Drills.

Raynor A K Taylor
LTJG USN

12-16 Steaming as before. 1300 Exercised the crew at General Quarters; conducted Damage Control exercises and drills for Repair Parties. 1308 Condition Zebra set. 1345 Secured from Gen Quarters; set Condition Modified Yoke. 1435 RAKS Set the Special Sea and Anchor Detail; made all preparations for entering port. Passed Brenton Reef Lightship abeam to port. Maneuvering on various courses at various speeds while conforming to channel. 1445 passed Castle Hill Lightship abeam to stbd. 1450 passed East Passage Buoy #11 abeam to port. 1455 passed Rose Island Light abeam to stbd. 1510 Moored port side to Pier #2, berth 221 at Newport Naval Base, Newport, R.I., using standard destroyer mooring lines doubled plus storm lines fore and aft. 1515 Secured the Special Sea and Anchor Detail.

Raynor A K Taylor
LTJG USN

16-20 Moored as before. 1654 Held Fire Drill in after steering. 1705 secured from Fire Drill.

Raynor A K Taylor
LTJG USN

20-24 Moored as before. 2107 commenced taking on fresh water. 2135 Completed taking on fresh water. Having received 6,204 gallons.

Raynor A K Taylor
LTJG USN

APPROVED:

A. W. Craig

U. S. N. COMMANDING

EXAMINED:

Roburn LTJG

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET—TYPE B

USS ABBOT (00629) ZONE DESCRIPTION +5R DATE TUESDAY 12 DECEMBER, 19 61
(Day) (Date) (Month)
AT/PASSAGE FROM BERTH 221 PIER 2 TO U.S. NAVAL BASE, NEWPORT R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVE		POSITION	ZONE	TIME	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)				
01	240	4	8	CLR	30.22	40	40										
02	250	4	8	CLR	30.22	40	39										
03	265	4	8	CLR	30.21	39	39										
04	280	5	8	CLR	30.20	38	37										
05	290	6	8	CLR	30.18	38	37										
06	310	6	8	CLR	30.16	37	36										
07	335	7	8	CLR	30.14	35	34										
08	340	8	8	CLR	30.13	36	34										
09	352	8	8	CLR	30.11	37	35										
10	350	9	8	CLR	30.09	38	37										
11	355	8	8	CLR	30.10	40	38										
12	340	9	8	CLR	30.10	40	39										
13	325	10	8	CLR	30.11	39	38										
14	320	10	8	CLR	30.13	39	37										
15	315	10	8	CLR	30.14	37	36										
16	315	10	8	CLR	30.12	38	37										
17	308	11	8	CLR	30.10	40	39										
18	305	12	8	CLR	30.10	40	39										
19	300	12	7	CLR	30.09	39	38										
20	290	13	7	CLR	30.08	37	36										
21	295	14	7	CLR	30.06	35	34										
22	293	13	7	CLR	30.04	34	34										
23	285	13	7	CLR	30.02	32	31										
24	280	13	7	CLR	30.01	30	30										

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L. _____
MID. λ. _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 Moored port side to Pier 2, in Berth 221, at U.S. Naval Base, Newport, Rhode Island, with standard dewatering mooring line doubled, and stern line forward and aft. This ship receiving all utilities from the pier. Condition of readiners II and Material Condition yoke (Modified) are set. SOPA is ComDesFlot 2 aboard USS Arcadia (AD-23). Ships present include various units of U.S. Atlantic Fleet and local service craft.

Eugene J. Gallagher
Ens. USNR

04-08 Moored as before. 0745 Mustered the crew at quarters. No unauthorized absentees.

Eugene J. Gallagher
Ens. USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629)

TUESDAY 12 DEC, 19 61
(Day) (Date) (Month)

08-12 Moored as before. 0930 Set material condition
Yoke. 1000 Made daily inspection of magazines and
smokeless powder samples. Conditions normal. Set
the Special Sea Detail. 1032 Underway in
accordance with Deslant Engineering School Underway
operational schedule. 1050 Passed Rose Island light
abeam to port. Maneuvering on various courses and at
various speeds while conforming to channel. 1055
Passed East Passage Buoy #11 abeam to starboard. 1059 Passed
Castle Hill light abeam to port. 1109 Passed Brenton Reef
lightship abeam to starboard. Secured the Special Sea
Detail.

P. F. Finch
Ens USN

12-16 Steaming as before. 1440 Passed Brenton Reef Lightship
abeam to port. Set the Special Sea Detail. 1452 Passed
Castle Hill Light abeam to starboard. 1458 Passed East
Passage Buoy #11 abeam to port. 1502 Passed Rose Island
light abeam to starboard. 1521 Moored port side to
Pier #2 in Berth 221 at US Naval Base, Newport,
R.I. with standard destroyer mooring lines doubled and
stowed fore and aft. 1525 Secured from Special
Sea Detail.

P. F. Finch
Ens USN

16-20 Moored as before.

P. F. Finch
Ens USN

20-24 Moored as before.

P. F. Finch
Ens USN

APPROVED:

EXAMINED:

A. W. Craig

U. S. N. COMMANDING

Robert L. G.

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION +5 R DATE WEDNESDAY 13 DEC., 19 61
(Day) (Date) (Month)
AT/PASSAGE FROM BERTH 221, PIER 2 TO US NAVAL BASE, NEWPORT, RI

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	W	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	255	8	7	CLR	30.01	28	28						
02	250	7	7	CLR	30.02	29	29						
03	250	7	7	CLR	30.04	29	28						
04	260	9	7	CLR	30.06	28	27						
05	265	11	7	CLR	30.07	29	28						
06	270	10	7	CLR	30.07	31	30						
07	270	9	8	CLR	30.05	32	30						
08	280	9	8	CLR	30.04	34	31						
09	285	9	8	CLR	30.02	33	32						
10	280	10	8	CLR	30.02	35	34						
11	290	12	8	CLR	30.01	34	33						
12	295	11	8	CLR	29.98	37	36						
13	305	13	8	CLR	29.96	40	39						
14	310	14	8	CLR	29.93	41	40						
15	320	16	8	CLR	29.96	40	39						
16	325	17	8	CLR	29.98	39	38						
17	315	16	8	CLR	30.00	38	37						
18	304	14	8	CLR	30.02	36	36						
19	290	15	8	CLR	30.04	35	34						
20	280	15	8	CLR	30.06	34	32						
21	270	15	8	CLR	30.08	32	32						
22	285	15	8	CLR	30.09	31	30						
23	280	13	8	CLR	30.09	30	29						
24	280	13	7	CLR	30.11	29	29						

POSITION ZONE TIME

0800
L _____ BY _____
λ _____ BY _____

1200
L _____ BY _____
λ _____ BY _____

2000
L _____ BY _____
λ _____ BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)

SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

04-04 Moored port side to Pier 2 in Berth 221 at US Naval Base, Newport, RI using standard destroyer mooring lines doubled and storm lines fore and aft. Condition of readiness V and Material Condition Yoke (Modified) are set. Boiler #2 and Generator #1 are lit off and receiving fresh water from the pier. SOPA is Con Des Flot Two aboard USS ARCADIA (AD-23). Ships present include various units of US Atlantic Fleet and local service craft.

P. F. Finch
Ens USN

04-08 Moored as before. 0405 Shifted from #1 Generator to #2 Generator. 0745 Mustered the crew at Quarters for inspection. No unauthorized absentees.

P. F. Finch
Ens USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP

Abbot (DD 629)

Wednesday 13 December 1961
(Day) (Date) (Month)

08-12 Moored as before. 0930 Set Material Condition Yoke; commenced preparations for getting underway. 1000 Made daily inspection of magazines and smokeless powder samples; conditions normal. Stationed the Special Sea Detail Captain and Navigator on the Bridge, OOD at the Conn. ¹⁰²⁰ Completed all preparations for getting underway. 1030 Underway in accordance with DesLant Engineering School Op-shed (at-sea phase). Manueuvring at various courses and speeds while conforming to the channel (East Passage). 1050 With Rose Island Light bearing 165°T C/P 177. 1055 With Buoy No. 11 abeam to starboard C/P 233 C/S 20 kts. 1105 With Brenton Reef Lightship abeam to starboard 600 yards took departure for day's operations on course 180°T speed 20 kts. Secured the special sea detail. Commenced Engineering Drills.

Roburn
LTJG USNR

12-16 Steaming as before on easterly & westerly headings five miles south of the Brenton Reef Lightship. 1300 Went to General Quarters. Set Material Condition Zebra (simulated), exercised all hands on stations. 1325 Set Material Condition Yoke. 1330 Secured from General Quarters, set the regular underway steaming watch. 1400 Commenced preparations for entering port. 1430 Stationed the special sea and anchor detail Captain and Navigator on the Bridge, OOD at the Conn. Completed all preparations for entering port. 1432 With Brenton Reef Lightship abeam to port 750 yards C/P 000 C/S 20 kts. 1435 With Castle Hill Light abeam to starboard 500 yards C/P 047. Manueuvring on various courses at various speeds while standing in to the harbor. 1512 Moored portside to Pier 2 berth 221 with standard destroyer mooring lines at US Naval Base Npt. R.I. 1515 Secured the Special Sea and Anchor Detail.

Roburn
LTJG USNR

16-20 Moored as before.

Roburn
LTJG USNR

20-24 Moored as before.

Roburn
LTJG USNR

APPROVED:

EXAMINED:

A. H. Craig

U. S. N. COMMANDING

Roburn LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE THURSDAY 14 DECEMBER, 1961
(Day) (Date) (Month)
AT/PASSAGE FROM BERTH 221, PIER 2 TO U.S. NAVAL BASE, NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	298	7	2	FOG	29.63	44	44						
02	260	5	2	FOG	29.63	44	44						
03	245	10	2	RAIN	29.64	46	46						
04	240	10	2	RAIN	29.64	46	46						
05	250	12	2	RAIN	29.65	47	47						
06	250	15	2	RAIN	29.67	48	47						
07	240	14	2	RAIN	29.69	48	47						
08	263	14	3	OVC	29.72	48	47						
09	280	17	3	OVC	29.74	47	46						
10	300	17	3	OVC	29.76	42	40						
11	310	14	3	OVC	29.76	40	39						
12	315	16	3	OVC	29.77	39	38						
13	294	22	5	OVC	29.78	41	40						
14	285	25	5	OVC	29.82	43	42						
15	285	25	6	CLR	29.81	44	42						
16	287	20	6	CLR	29.80	42	41						
17	280	15	6	CLR	29.81	42	40						
18	250	12	6	CLR	29.83	42	40						
19	240	12	6	CLR	29.85	41	40						
20	223	15	6	CLR	29.87	42	41						
21	220	14	6	CLR	29.88	44	42						
22	200	14	6	CLR	29.89	44	42						
23	190	14	6	CLR	29.90	42	42						
24	180	16	6	CLR	29.90	40	40						

POSITION ZONE TIME

0800 L _____ BY _____

λ _____ BY _____

1200 L _____ BY _____

λ _____ BY _____

2000 L _____ BY _____

λ _____ BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored portside to Pier No. 2 Berth 221, US Naval Base Newport, R.I. with standard destroyer mooring lines doubled and 8" storm lines fore and aft. Condition of Readiness I, material condition Yoke set. SOPA is ComDes Flot 2 aboard USS Arcadia (AD 23). Ships present include various units of the US Atlantic fleet plus district craft.

Roburn
LTJG USNR

00-04-08 Moored as before. Mustered the crew at quarters. No unauthorized absentees.

Roburn
LTJG USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629)

THURSDAY 14 DEC. 19 61
(Day) (Date) (Month)

08-12 Moored as before. 0847 Received YO 248 alongside to starboard. 0857 Lighted power under #1 boiler. 0900 Commenced taking on fuel from YO 248. 0912 Made daily inspection of magazines and smokeless powder samples. Conditions normal. 0941 Secured from taking on fuel from YO 248 having received 21,859 gallons. 0950 YO 248 cleared from starboard side. 1000 Set the Special Sea and Anchor Detail, made all preparations for getting underway. Drift forward; 13'-9" drift aft: 13'-8" 1025 Underway in accordance with Desland Afloat Engineering School Operating Schedule. Captain and Navigator on the bridge. Lt. J. G. Simmons has the conn. Boilers #1 and #4, generators #1 and #2 on the line. Manoeuvring on various courses at various speeds to conform to harbor and channel. 1043 Passed Rose Island Light abeam to port. 1047 Passed East Passage Budy #11 abeam to starboard. 1052 Passed Castle Hill Light abeam to port. 1057 Passed Brenton Reef Lightships abeam to starboard. 1057 Secured Special Sea and Anchor Detail. Manoeuvring at various courses at various speeds while JAG. Engineering School conducts Casualty Control drills. 1108 Generator #1 secured.

John M. Kelleher
Ens. USNR

12-16 Steaming as before. 1230 Lt. J. G. Bremer has deck and conn. 1431 Set the Special Sea and Anchor Detail, made all preparations for entering port. 1434 Lt. J. G. Simmons has deck and conn. Captain and Navigator on bridge. 1431 Passed Brenton Reef Lightships abeam to port. Manoeuvring on various courses at various speeds to conform to channel. 1442 Passed Castle Hill Light abeam to starboard. 1447 Passed East Passage Budy #11 abeam to port. 1451 Passed Rose Island Light abeam to starboard. 1506 Moored port side to Pier #2, Berth 221 at Newport Naval Base, Newport, R.I. using standard destroyer mooring lines doubled and 8th storm lines fore and aft. 1515 Secured the Special Sea and Anchor Detail.

John M. Kelleher
Ens. USNR

16-20 Moored as before. #1 boiler, #2 generator on the line.

John M. Kelleher
Ens. USNR

20-24 Moored as before. 2214 Commenced taking on fresh water. 2237 Secured from taking on fresh water having received 4,804 gallons. #1 generator on the line.

John M. Kelleher
Ens. USNR

APPROVED:

EXAMINED:

A. W. Loring

U. S. N. COMMANDING

Coburn LTJG

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET—TYPE B

USS ABBY (DP 629) ZONE DESCRIPTION FSR DATE FRIDAY 15 DEC, 19 61
(Day) (Date) (Month)
AT/PASSAGE FROM BERTH 221 PIER 2 TO US NAVAL BASE, NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVE		POSITION	ZONE	TIME	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)				
01	290	4	5	ovc	30.01	30	29										
02	285	3	5	ovc	30.03	29	29										
03	295	4	4	ovc	30.05	29	29										
04	280	5	4	ovc	30.06	29	28										
05	260	5	4	ovc	30.08	28	27										
06	250	8	4	ovc	30.10	27	26										
07	230	10	4	ovc	30.12	28	24										
08	210	10	4	ovc	30.14	27	26										
09	220	12	5	BKN	30.16	29	28										
10	235	13	6	BKN	30.18	30	28										
11	245	14	6	BKN	30.20	32	30										
12	245	15	6	BKN	30.22	34	33										
13	250	15	6	BKN	30.20	36	34										
14	260	16	6	BKN	30.18	37	35										
15	250	16	7	CLR	30.16	35	33										
16	245	15	7	CLR	30.14	34	33										
17	255	14	7	CLR	30.12	36	35										
18	260	13	7	CLR	30.10	38	37										
19	270	11	7	CLR	30.08	40	38										
20	280	10	7	CLR	30.06	41	40										
21	285	10	5	ovc	30.04	42	41										
22	290	8	5	ovc	30.02	43	42										
23	302	6	4	ovc	30.00	43	43										
24	300	4	3	ovc	29.99	44	44										

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L. _____

MID. λ. _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moved port side to Pier #2, Berth 211 at U.S. Naval Base, Newport, RI using standard destroyer mooring lines doubled and 8" storm lines fore and aft. Conditions of Readiness I and Material Condition "Yoke (modified)" are set. This ship is on own power. #1 Boiler and #1 Generator are on the line. SOPA is Comdes. Plot 2 aboard U.S.S. ARCHADIA (AO-23). Ships present include various units of U.S. Atlantic Fleet and local service craft. 0100 Lit off gyro compass.

John M. Kelleher
Ensign, USNR

04-08 Moved as before. 0745 Mustered the crew at quarters — foul weather parade. No unauthorized absences.

John M. Kelleher
Ensign, USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP

ABBOT (DD-629)

Friday
(Day)

15
(Date)

December, 1961
(Month)

08-12

Moored as before. 0800 let the Special Sea Detail. 0805 Draft readings: 13' 8" forward, 13' 8" aft. 0807 secured the Special Sea Detail. 0815 Doubled stern lines forward and aft. 0925 Made weekly test of magazine sprinkling system. Conditions normal. 0930 Made daily inspection of magazine and smokeless powder samples. Conditions normal.

Eugene J. Gallagher
Ens. USNR

12-16

Moored as before.

Eugene J. Gallagher
Ens. USNR

16-20

Moored as before.

Eugene J. Gallagher
Ens. USNR

20-24

Moored as before.

Eugene J. Gallagher
Ens. USNR

APPROVED:

A. W. Long

U. S. N. COMMANDING

EXAMINED:

Roburn LTB

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET—TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION +5 R DATE Saturday, 16 December, 1961
(Day) (Date) (Month)
AT/PASSAGE FROM Berth 221, Pier 2 TO U.S. Naval Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVE		POSITION	ZONE	TIME	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)				
01	340	16	7	CLR	30.40	18	18										
02	320	12	7	CLR	30.41	18	18										
03	310	15	7	CLR	30.40	19	18										
04	290	15	7	CLR	30.41	19	18										
05	270	13	8	CLR	30.42	18	17										
06	275	10	8	CLR	30.44	16	16										
07	260	10	8	CLR	30.46	16	15										
08	250	9	8	CLR	30.47	17	16										
09	240	8	8	CLR	30.45	18	18										
10	230	8	8	CLR	30.43	19	18										
11	220	5	8	CLR	30.41	21	20										
12	210	5	8	CLR	30.40	23	22										
13	200	3	8	CLR	30.38	25	24										
14	225	3	8	CLR	30.40	27	26										
15	220	6	8	CLR	30.38	24	23										
16	265	9	8	CLR	30.36	20	19										
17	280	10	8	CLR	30.34	18	18										
18	285	11	8	CLR	30.33	17	16										
19	290	11	8	CLR	30.32	16	16										
20	290	12	7	CLR	30.32	18	17										
21	290	12	7	CLR	30.31	20	19										
22	285	12	7	CLR	30.31	21	19										
23	260	10	7	CLR	30.32	22	22										
24	250	8	7	CLR	30.31	22	22										

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L. _____

MID. A. _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 Moored port side to Pier 2, in Berth 221, at U.S. Naval Base, Newport, R.I., with standard destroyer mooring lines, doubled and 8" storm lines, doubled, forward and aft. This ship is on "Cold Iron", receiving all utilities from the pier. Condition of readiness II and Material Condition Yoke (Modified) are set. SOPA is ComDes Flot 2 aboard U.S.S. Arcadia (AD-23). Ships present include various units of U.S. Atlantic Fleet and local service craft. 0200 Silvermail, L.L., 521 79 85, CS3 USN was returned to the by Shore Patrol. No charges.

Eugene J. Gallagher
Ens. USNR

04-08 Moored as before. 0610 Lt(jg) Philip Coburn, 631685, USNR departed the ship for 11 days annual leave. 0745 Mustered the crew on station; Bruce, R.J., 419 7056, SN, USN, unauthorized absentee since 0730 this date.

Eugene J. Gallagher
Ens. USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) SAT. 16 DEC. 19 61
(Day) (Date) (Month)

08-12 Moored as before. 0925 Bruce, R. J. SN returned to the ship, UA since 0730 this date, a period of 1 hour and 55 minutes. 1035 Made daily inspection of magazines and smokeless powder samples. All conditions normal.

P. F. Finch
Ens USN

12-16 Moored as before.

P. F. Finch
Ens USN

16-20 Moored as before.

P. F. Finch
Ens USN

20-24 Moored as before.

P. F. Finch
Ens USN

APPROVED:

EXAMINED:

A. H. Craig

U. S. N. COMMANDING

Robert L. H.

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET—TYPE B

USS ABBOT (DDG 29) ZONE DESCRIPTION +5R DATE SUNDAY 17 DECEMBER, 19 61
(Day) (Date) (Month)
AT/PASSAGE FROM BERTH 221, PIER 2 TO U.S. NAVAL BASE, NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	340	17	7	CLR	30.18	29	29						
02	320	19	7	CLR	30.16	30	29						
03	310	20	7	CLR	30.13	30	30						
04	300	20	7	CLR	30.11	31	30						
05	300	25	7	CLR	30.10	31	31						
06	295	27	7	CLR	30.08	32	31						
07	290	29	7	CLR	30.06	31	30						
08	280	30	7	CLR	30.04	29	28						
09	280	30	8	CLR	30.06	27	26						
10	290	27	8	CLR	30.08	26	26						
11	310	23	8	CLR	30.10	26	26						
12	310	18	8	CLR	30.12	28	27						
13	300	20	8	CLR	30.15	27	27						
14	320	24	8	CLR	30.17	28	27						
15	330	20	8	CLR	30.19	28	27						
16	340	20	8	CLR	30.20	27	26						
17	340	20	8	CLR	30.22	26	25						
18	350	20	8	CLR	30.24	26	25						
19	350	24	8	CLR	30.26	25	24						
20	360	30	8	CLR	30.28	24	24						
21	340	26	7	CLR	30.30	23	23						
22	345	24	7	CLR	30.31	22	21						
23	335	20	7	CLR	30.31	21	20						
24	320	18	7	CLR	30.30	20	20						

POSITION ZONE TIME

0800 L _____ BY _____

λ _____ BY _____

1200 L _____ BY _____

λ _____ BY _____

2000 L _____ BY _____

λ _____ BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored port side to Pier #2 in berth 221 at U.S. Naval Base, Newport, R.I., using standard destroyer mooring lines doubled and stern lines fore and aft. Receiving miscellaneous services from the pier. Condition of readiness V and material condition YOKE are set. SOPA is ComDesFlot 2 aboard USS Arcadia (AD-23). Other ships in the area consist of US Atlantic Fleet, yard and service craft.

P.T. Finch
Ens USN

04-08 Moored as before. 0745 mustered the crew on stations. No unauthorized absentees

P.T. Finch
Ens USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) SUNDAY 17 DEC 19 61
(Day) (Date) (Month)

08-12 Moored as before. 1000 made daily inspection
of magazines and smokeless powder samples. All
conditions normal.

P. F. Finch

Ens USN

12-16 Moored as before.

P. F. Finch

Ens USN

16-20 Moored as before

P. F. Finch

Ens USN

20-24 Moored as before.

P. F. Finch

Ens USN

APPROVED:

EXAMINED:

A. W. Craig

U. S. N. COMMANDING

Roburn LTJG

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION 45R DATE MONDAY 18 DECEMBER, 19 61
 PT 221 AT/PASSAGE FROM BERTH 223, PIER 2 TO U.S. NAVAL BASE, NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	372	6	4	FOG	29.93	25	24						
02	360	6	4	FOG	29.94	25	24						
03	345	6	4	FOG	29.92	24	24						
04	330	6	4	FOG	29.93	23	23						
05	315	5	4	FOG	29.91	25	25						
06	320	5	4	FOG	29.90	23	23						
07	330	8	4	FOG	29.89	24	23						
08	342	9	4	FOG	29.88	26	26						
09	350	9	4	FOG	29.87	27	26						
10	358	10	4	FOG	29.86	29	28						
11	005	13	4	FOG	29.85	30	29						
12	010	14	4	FOG	29.84	29	28						
13	025	15	5	RAIN	29.83	31	30						
14	030	16	5	RAIN	29.82	32	30						
15	040	18	5	RAIN	29.80	33	32						
16	044	19	5	RAIN	29.79	34	32						
17	050	21	5	RAIN	29.78	33	31						
18	035	17	5	OVC	29.80	30	30						
19	028	14	5	OVC	29.78	32	31						
20	028	14	5	OVC	29.76	34	33						
21	028	14	6	OVC	29.74	36	35						
22	015	15	6	OVC	29.75	37	38						
23	010	12	6	RAIN	29.76	38	38						
24	005	12	6	RAIN	29.77	37	36						

POSITION ZONE TIME

0800 L _____ BY _____

1200 L _____ BY _____

2000 L _____ BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L. _____

MID. λ. _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

ΦΦ-Φ4 moored port side to Pier #2 in berth 221 at US Naval Base, Newport, R.I. using standard destroyer mooring lines doubled and storm lines fore and aft. Receiving miscellaneous services from the pier. Condition of readiness V and material condition YOKE modified are set. SOPA is Com Des Flot 2 aboard USS Arcadia (AD-23). Other ships present include various units of US Atlantic Fleet yard and service craft.

P. F. Finch
Ensign USN

Φ4-Φ8 moored as before. Φ45Φ hit off #2 and #3 Boilers. Φ745 Mustered the crew at Quarters. Unauthorized absentees: Haldeman, R.A. 544-56-86 MMFN, and Skuzewski, M, 494-71-95 SOGSN since Φ73Φ this date.

P. F. Finch
Ensign USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629)

MONDAY 18 DEC 19 61
(Day) (Date) (Month)

08-12 Moored as before. 0745 Mustered the crew at quarters. 0920 YTB 272 and YTB 280 alongside to starboard to breast ship out. 0950 Made daily inspection of magazines and smokeless powder samples. Conditions normal. 0955 Underway 1000 R. Adm. Robert H. Speck, USN, assumed command of Condor Unit, breaking his flag on USS ROSEHEDGE (AD-19) and assumed SOPA Narabay subarea. 1020. Moored alongside, port side to, ^{FRED T. BERRY} USS ~~ABARRY~~ (DD 858) Pier #2 J. H. K. Berth 222 with standard destroyer lines doubled fore and aft, and 8" storm lines to pier. YTB 272 and YTB 280 cleared from starboard.

John M. Kelleher
Ensign USNR

12-16 Moored as before. 1220 Haldeman, R. A. 544-56-86, HMFRN returned being VA since 0730 this date. 1228 Skurgenwski, M. 444-71-95, SOBSA, returned aboard, VA since 0730 this date. 1345 YTB 280 and YTB 272 alongside to starboard to breast ship out. 1440 Completed from Engineering Drills which were conducted since 0830 this date in accordance with Destroyer Engineering School Instruction. 1450 Secured #3 boiler.

John M. Kelleher
Ensign U.S.N.R.

16-20 Moored as before 1555 Underway, breasting out. 1623 USS JOHN WILLIS (DE 1022), USS FRED T. BERRY (DD 858), USS ABBOT (DD 629) moved portside to Pier #2, this ship in Berth 223 with standard destroyer mooring lines doubled fore and aft, and 8" storm lines to pier. YTB 280 and YTB 272 cleared from starboard.

John M. Kelleher
Ensign USNR

20-24 Moored as before

John M. Kelleher
Ensign USNR

APPROVED:

EXAMINED:

A. H. Craig

U. S. N. COMMANDING

Roburn LTJG

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET—TYPE B

USS ARBOY (DD 629) ZONE DESCRIPTION +5R DATE TUESDAY 19 DEC, 19 61
(Day) (Date) (Month)

AT/PASSAGE FROM PIER 2 BERTH 223 TO U.S. NAVAL BASE, NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	W		POSITION	ZONE	TIME
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)			
01	000	11	5	ovc	29.82	38	38									
02	010	8	5	ovc	29.82	38	38									
03	020	8	5	ovc	29.84	38	38									
04	010	9	5	ovc	29.86	37	36									
05	350	6	5	ovc	29.86	36	36									
06	350	6	5	ovc	29.85	37	37									
07	007	8	5	ovc	29.84	37	37									
08	015	10	5	ovc	29.83	37	36									
09	020	11	5	ovc	29.82	38	36									
10	025	12	5	ovc	29.83	39	38									
11	025	12	5	ovc	29.83	38	38									
12	025	12	5	ovc	29.84	40	39									
13	040	10	5	ovc	29.86	42	42									
14	060	12	5	ovc	29.84	43	42									
15	065	9	5	ovc	29.82	43	42									
16	080	5	2	FOG	29.80	44	43									
17	090	5	2	FOG	29.78	44	44									
18	105	3	2	FOG	29.76	43	43									
19	100	4	2	FOG	29.74	43	42									
20	110	4	2	RAIN	29.72	44	42									
21	110	6	2	RAIN	29.72	44	43									
22	130	6	2	RAIN	29.70	43	43									
23	145	9	2	RAIN	29.68	44	44									
24	145	8	2	RAIN	29.69	43	43									

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L. _____
MID. A. _____

MILES STEAMED 0000-2400 _____

FUEL CONSUMED 0000-2400 _____

REMARKS

00-04 Moved port side to USS FRED T. BERRY (DD 858)
(moved port side to USS JOHN WILLIS (DE 1027)
Pier 2 Berth 223, U.S. Naval Base, Newport, R.I.
With standard destroyer mooring lines doubled,
and 8" storm lines fore and aft to pier.
Condition of Readiness V and Material Condition
Yoke (modified) were set. This ship on own
power. SOPA is Comdesant aboard USS ROSEBUD
(AP 14). Ships present include various units
of the U.S. ATLANTIC FLEET and local service craft.
John M. Kelleher
Exec. USNR

04-08 Moved as before. 0605 #4 Boiler lid
off.
John M. Kelleher
Exec. U.S.N.R.

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (00-629)

TUESDAY 19 DECEMBER, 19 61
(Day) (Date) (Month)

08-12 Moored as before. 0823 Underway in accordance with Deckant Engineering School Instruction (underway phase) maneuvering on various courses at various speeds to conform with East Passage Channel. 0853 Passed Buxton light ship ahead to port. 0854 Secured the special sea detail. Maneuvering on various courses at various speeds while conducting engineering drills. 1000 Made daily inspection of magazine and smokeless powder samples. Conditions normal.

FR Elli
Ens. USNR

12-16 Steaming as before. 1502 Set the special sea detail. Maneuvering on various courses at various speeds while entering port. 1545 Moored port side to USS Blamley (DD-943) in a row of two (2) ships at Pier #1, Berth #122, US Naval Base, Newport, R.I. with standard mooring lines doubled. 1555 Secured special sea detail.

FR Elli
Ens. USNR

16-20 Moored as before. 1605 Operating on #4 boiler and #2 generator. Secured #2 boiler.

FR Elli
Ens. USNR

20-24 Moored as before

FR Elli
Ens. USNR

APPROVED:

EXAMINED:

A. H. Loring

U. S. N. COMMANDING

Roburn LTJG

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET—TYPE B

USS ARROT (DD-629) ZONE DESCRIPTION +5(R) DATE WEDNESDAY 20 DECEMBER, 19 61
(Day) (Date) (Month)
AT/PASSAGE FROM NEWPORT, RHODE ISLAND, TO PIER #1, BERTH #122

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	W	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	345	9	3	RAIN	29.59	42	42						
02	330	10	3	RAIN	29.59	41	41						
03	320	10	3	RAIN	29.60	40	40						
04	325	5	3	ovc	29.58	42	41						
05	335	5	3	ovc	29.61	41	41						
06	335	8	3	ovc	29.64	40	39						
07	344	8	4	ovc	29.66	40	39						
08	350	10	5	ovc	29.68	39	38						
09	360	12	5	ovc	29.70	39	38						
10	340	10	5	ovc	29.72	38	38						
11	320	13	5	ovc	29.72	39	38						
12	350	10	5	ovc	29.74	39	38						
13	325	13	5	ovc	29.72	39	37						
14	345	13	5	ovc	29.70	40	39						
15	335	10	6	ovc	29.71	40	40						
16	315	9	6	ovc	29.72	40	40						
17	315	6	6	ovc	29.71	40	39						
18	315	6	6	ovc	29.70	39	39						
19	320	6	6	ovc	29.71	40	39						
20	320	7	6	ovc	29.72	39	39						
21	310	7	6	ovc	29.73	40	40						
22	330	7	6	ovc	29.74	40	40						
23	320	7	6	ovc	29.73	40	39						
24	320	10	6	ovc	29.73	40	39						

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 Moved port side to USS Blenny (DD-943) in a nest of two ships in berth #122 at Pier #1, US Naval Base, Newport, R.I., with standard mooring line doubled and storm lines out fore and aft. Boiler #4 and generator #2 are on the line. Material condition YOK and condition of readiness V are set. SOPA is ComDesant embarked in USS Yosemite (AD-19) 0204 Commenced taking on fresh water 0308 Secured taking on fresh water, 6804 gallons received.

JP Ellis
Ensign USNR

04-08 Moved as before 0745 Mustered the crew on station. No unauthorized absentees

JP Ellis
Ensign USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) WED. 20 DEC. 1961
(Day) (Date) (Month)

08-12 Moored as before. 0810 Set the Special Sea and Anchor Detail. 0825 Underway in accordance with Desfont Engineering School Instruction. Manoeuvring on various courses and at various speeds while standing out the channel. 0857 Passed Brenton Reef Lightship abeam to starboard. Secured the Special Sea and Anchor Detail. 1000 Made daily inspection of magazines and smokeless powder samples. All conditions normal. Manoeuvring on various courses to remain within the operating area.

P. F. Finch
Ens USN

12-16 Steaming as before. 1323 Exercised the crew at General Quarters station. 1438 Secured from General Quarters. 1505 Set the Special Sea and Anchor Detail. Passed Brenton Reef Lightship abeam to port. 1538 Moored port side to USS Blandy (DD-943) in berth 122 at Pier #1 US Naval Base Newport, R.I. 1550 Secured the Special Sea and Anchor Detail.

P. F. Finch
Ens USN

16-20 Moored as before. 1610 Banta, G.F. 479-72-89 EM2 and Wallace, G.W. 470-52-93 GMG2 departed the ship for shore patrol duty.

P. F. Finch
Ens USN

20-24 Moored as before.

P. F. Finch
Ens USN

APPROVED:

EXAMINED:

A. W. Craig

U. S. N. COMMANDING

P. F. Finch

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE THURSDAY 21 DEC., 19 61
(Day) (Date) (Month)
AT/PASSAGE FROM BERTH 122, Pier #1 TO US Naval Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WIND		POSITION	ZONE	TIME	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)				
01	220	10	6	OVC	29.72	39	38										
02	230	10	6	OVC	29.70	39	39										
03	230	10	6	OVC	29.71	39	39										
04	220	12	6	OVC	29.70	39	38										
05	240	12	6	OVC	29.74	39	38										
06	250	12	8	CLR	29.76	37	36										
07	280	8	8	CLR	29.78	36	35										
08	290	10	8	CLR	29.80	35	35										
09	290	10	8	CLR	29.82	33	33										
10	290	10	8	CLR	29.84	35	34										
11	285	12	8	BKN	29.86	36	36										
12	280	13	8	BKN	29.88	37	36										
13	290	18	8	BKN	29.86	38	37										
14	390	25	8	BKN	29.87	36	34										
15	275	17	8	BKN	29.88	32	32										
16	280	9	8	CLR	29.89	31	30										
17	260	9	8	CLR	29.89	30	29										
18	240	11	8	CLR	29.88	30	29										
19	235	10	8	CLR	29.87	29	28										
20	210	10	8	CLR	29.87	28	27										
21	220	8	8	CLR	29.88	27	27										
22	215	9	8	CLR	29.90	28	27										
23	200	7	8	CLR	29.91	29	29										
24	190	5	8	CLR	29.91	30	30										

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L. _____
MID. λ. _____

MILES STEAMED 0000-2400 _____

FUEL CONSUMED 0000-2400 _____

REMARKS

ΦΦ-Φ4 Moored port side to USS Blandy (DD 943) in a nest of two ships at Pier #1 US Naval Base Newport, R.I. using standard destroyer mooring lines doubled and stern lines fore and aft. This ship in berth 122, receiving fresh water and telephone service from the pier. Condition of readiness & material condition YOKE Modified are set. SOPA is ComDesant aboard USS Ypperite (AD-19) Ships present include various units of US Atlantic Fleet and local service craft.

P.T. Finch
Ens USN

Φ4-Φ8 Moored as before. Φ55Φ Lit-off #2 Boiler 0745 Mustered the crew on stations. No unauthorized absentees.

P.T. Finch
Ens USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629) Thursday 21 December 19 61
moored as before (Day) (Date) (Month) ES.

08-12 0800 Com Des Flot 2 assumed SOPA Narragansett area. 0823 Underway in accordance with Des Flot Engineering School Instruction (Underway Phase) Maneuvering on various courses and speeds while proceeding out channel. Captain has the Conn. 0840 Passed Rose Island Light abeam to port. 0845 Passed Buoy #11 abeam to starboard. 0844 Passed Castle Hill Light abeam to port. 0855 Passed Brenton Reef Lightship abeam to starboard. Secured the Special Sea Detail. 0856 Maneuvering on various courses and speeds. 0947 Held Man Overboard Drill 0959 Secured from man overboard drill. 1015 Made daily inspection of magazine and smokeless powder samples. Conditions normal.

Eugene J. Gallagher
Ens. USNR

12-16 Underway as before. 1400 Secured from Engineering drills. 1422 Set the Special Sea Detail. Maneuvering on various courses and speeds to conform with channel. Captain has the conn. Passed Brenton Reef Lightship abeam to port. 1432 Passed Castle Hill Light abeam to starboard. 1437 Passed Castle Hill Light abeam to port. 1442 Passed Rose Island Light abeam to starboard. 1457 Moored port side to U.S.S. Hartley (DE-1029) in Berth #46, Pier 1, U.S. Naval Base, Newport, R.I., in a nest of six ships, with standard dewatering mooring lines and storm lines.

Eugene J. Gallagher
Ens. USNR

16-20 Moored as before.

Eugene J. Gallagher
Ens. USNR

20-24 Moored as before.

Eugene J. Gallagher
Ens. USNR

APPROVED:

EXAMINED:

A. W. Craig

U. S. N. COMMANDING

Roburn CTJ6

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET—TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION +5 R DATE Friday 22 December, 19 61
(Day) (Date) (Month)
AT/PASSAGE FROM Berth 146, Pier 1 TO U.S. Naval Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbol)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WIND	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	210	8	8	CLR	29.90	30	30						
02	230	10	8	CLR	29.91	30	29						
03	270	9	8	CLR	29.93	29	28						
04	310	11	8	CLR	29.94	29	28						
05	310	12	8	CLR	29.94	29	27						
06	290	15	8	CLR	29.95	27	26						
07	290	12	8	CLR	29.93	28	27						
08	280	10	8	CLR	29.91	29	29						
09	295	13	8	CLR	29.90	31	30						
10	295	13	8	CLR	29.90	33	32						
11	290	11	8	CLR	29.89	35	34						
12	285	9	8	CLR	29.87	37	35						
13	285	10	8	CLR	29.86	36	36						
14	290	8	8	CLR	29.86	38	37						
15	298	10	8	CLR	29.85	39	38						
16	310	6	8	CLR	29.84	37	36						
17	300	6	8	CLR	29.86	33	33						
18	305	7	8	CLR	29.88	32	31						
19	310	9	8	CLR	29.90	30	30						
20	320	12	8	CLR	29.92	30	29						
21	315	12	8	CLR	29.91	29	29						
22	310	12	8	CLR	29.92	29	29						
23	300	15	8	CLR	29.93	27	27						
24	285	15	8	CLR	29.93	27	26						

POSITION ZONE TIME

0800 L _____ BY _____

λ _____ BY _____

1200 L _____ BY _____

λ _____ BY _____

2000 L _____ BY _____

λ _____ BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L. _____

MID. λ. _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 Moved port side to U.S.S. Hartley (DE-1029) in Berth 146, at Pier 1, US Naval Base, Newport, R.I. in a nest of six ships, with standard destroyer mooring lines, dished, and 8" storm lines forward and aft. Ships outboard from Pier 1: U.S.S. Ketchum (DER-329), U.S.S. Calcuterra (DER-390), U.S.S. Hinson (DER-400), U.S.S. Dealey (DE-1006), USS Hartley DE(1029), and ABBOT. This ship steaming #4 boiler and #2 generator for auxiliary purposes, receiving fresh water from the pier. SOPA is Com Des Flot 2. Condition of readiness I and Material Condition Yoke are set. Ships present include various units of US Atlantic Flot and local service craft.

Engine J. Gallagher
Ens. USNR

04-08 Moved as before. 0721 YO G-21 alongside to starboard. 0728 Commenced taking on fuel. 0745 Mustered the crew at quarters. Foul weather parade. No unauthorized absentees.

Engine J. Gallagher
Ens. USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABCOE (DD 629)

FRIDAY 22 DEC, 19 61
(Day) (Date) (Month)

08-12 Moved as before. 0824 secured from
taking on fuel having received 38,924 gallons.
0835 1066Z cleared from starboard. 1000 Made
daily inspection of magazines and smokeless
powder samples. Conditions normal.

John M. Keelher
Ensign USNR

12-16 Moved as before.

John M. Keelher
Ensign USNR

16-20 Moved as before.

John M. Keelher
Ensign USNR

20-24 Moved as before.

John M. Keelher
Ensign USNR

APPROVED:

A. H. Craig

U. S. N. COMMANDING

EXAMINED:

Robert L. St. G.

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION 75 R DATE SATURDAY 23 DEC., 19 61
(Day) (Date) (Month)
AT/PASSAGE FROM Pier 1 Berth 146 TO US NAVAL BASE, NEWPORT, R.I. J. M. 15

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	W		POSITION	ZONE	TIME	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)				
01	285	16	7	CLR	29.90	27	27										
02	289	15	7	CLR	29.91	26	26										
03	285	16	7	CLR	29.93	24	23										
04	285	15	7	CLR	29.95	23	22										
05	292	15	7	CLR	29.97	24	24										
06	292	10	7	CLR	29.98	27	27										
07	282	8	7	CLR	30.00	30	30										
08	270	9	7	CLR	30.02	28	28										
09	285	10	7	CLR	30.04	29	28										
10	265	10	7	CLR	30.03	32	31										
11	265	8	7	CLR	30.02	31	30										
12	245	9	7	BKN	30.02	32	30										
13	230	9	7	BKN	30.02	34	32										
14	220	9	7	BKN	30.03	35	34										
15	240	7	7	BKN	30.02	37	36										
16	260	5	7	BKN	30.00	39	38										
17	265	5	7	CLR	29.99	37	36										
18	270	5	7	CLR	29.97	36	36										
19	285	9	7	CLR	29.98	36	36										
20	290	7	7	CLR	29.96	36	35										
21	305	7	7	CLR	29.95	35	35										
22	320	7	7	CLR	29.96	36	36										
23	330	7	5	SNOW	29.94	34	33										
24	330	9	5	SNOW	29.94	32	32										

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L. _____

MID. λ. _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 Moved port side to U.S.S. HARTLEY (DE 1029) Pier 1 Berth 146, as sixth ship in a six ship nest with standard destroyer ^{moving} lines doubled fore and aft to USS HARTLEY (DE 1029) and 8" storm lines fore and aft to USS DEALER (DE 1006). This ship is on own power with #4 Boiler and #2 Generator on the line. SOPA is Comdr. Hlt 2 aboard USS ARCADIA (AO 23). Ships present include various units of U.S. ATLANTIC FLEET and local service craft.

John M. Kelleher
Ens. USNR

04-08 Moved as before. 0745 Mustered the crew at quarters, foul-weather parade.

John M. Kelleher
Ens. USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ARIST (DD-629)

SATURDAY 23 DECEMBER, 19 61
(Day) (Date) (Month)

08-12 Moved as before 1000 Made daily inspection of magazines and
ammunition gear and samples. Condition normal. 1046
Cleared all service lines. 1145 YTB 175 and YTB 546 alongside
starboard quarter and starboard bow respectively. 1154
Shifted hatches to berth #123 at Pier #1. 1200 Moved RE

FTB Ellis
Enr. USNR

12-16 Moved portside to USS Barry (DD-933) with constant
mooring lines doubled and a stern line out forward.
1212 YTB 175 + YTB 546 departed from alongside.
1305 Shifted to star power 1315 Secured #4 ladder

FTB Ellis
Enr. USNR

16-20 Moved as before

FTB Ellis
Enr. USNR

20-24 Moved as before

FTB Ellis
Enr. USNR

APPROVED:

EXAMINED:

A. W. Craig

U. S. N. COMMANDING

Roburn LTB

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET—TYPE B

USS ARROT (DD-629) ZONE DESCRIPTION +5(R) DATE SUNDAY 24 DECEMBER, 19 61
(Day) (Date) (Month)
AT/PASSAGE FROM Box #123, Pier #1, US Naval Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVE		POSITION	ZONE	TIME	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)				
01	320	8	4	SNOW	29.28	32	31										
02	310	7	4	SNOW	29.29	32	31										
03	290	9	4	SNOW	29.30	32	31										
04	290	9	4	SNOW	29.30	31	31										
05	290	9	4	SNOW	29.31	32	31										
06	290	8	4	SNOW	29.32	33	31										
07	285	8	4	RAIN	29.35	34	32										
08	280	5	4	RAIN	29.36	35	34										
09	280	5	4	RAIN	29.36	35	35										
10	290	6	4	RAIN	29.37	36	36										
11	300	5	4	RAIN	29.39	37	37										
12	310	8	4	ovc	29.40	38	38										
13	320	10	4	ovc	29.37	38	38										
14	333	15	4	ovc	29.34	37	37										
15	320	16	4	ovc	29.32	37	37										
16	310	16	4	ovc	29.30	37	37										
17	290	12	4	RAIN	29.28	38	37										
18	300	14	4	RAIN	29.26	36	34										
19	270	15	4	RAIN	29.26	36	35										
20	260	15	4	RAIN	29.25	35	35										
21	270	15	4	RAIN	29.25	34	33										
22	270	14	4	RAIN	29.24	33	33										
23	250	14	4	RAIN	29.23	33	33										
24	260	16	4	RAIN	29.22	32	32										

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L. _____
MID. λ. _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 Moved gate to USS ^{BB}Blond Barry (DD-933) in a row of three ships, outboard from the pier #1, USS Blandy (DD-943), Barry, and Albat. We are in berth #123, moored with standard line doubled and a stern line out forward. Receiving all services from the pier. Plant is cold. Modified condition Yoke and condition of reading II are ok. SODA - Comdes for 2 about USS Decatur (AP-33)

BB Ellis
Eno. OSNR

04-08 Moved as before. 0145 Albat to new station. No unauthorized changes

BB Ellis
Eno. OSNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP

ARCTIC (DD-629)

SUNDAY

24

DEC

1961

08-12 Floored as before 1000 Made daily inspection of magazines
and powder samples. Condition normal.

BS Ellis
En. USNR.

12-16 Floored as before

BS Ellis
En. USNR.

16-20 Floored as before 1545 Put stores in out aft.

BS Ellis
En. USNR.

20-24 Floored as before

BS Ellis
En. USNR.

APPROVED:

EXAMINED:

A. W. Craig

U. S. N. COMMANDING

Roburn LTB

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET—TYPE B

USS ABSBOT (DD-629) ZONE DESCRIPTION +5(R) DATE Monday 25 DECEMBER, 19 61
(Day) (Date) (Month)
AT/PASSAGE FROM Batt #123, Pier #1, US Naval Base TO Norfolk, R. E.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVE		POSITION	ZONE	TIME
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)			
01	240	20	5	SMW	29.35	32	31									
02	230	20	5	SMW	29.36	32	31									
03	225	19	5	SMW	29.38	32	31									
04	215	18	6	OKC	29.38	31	30									
05	225	17	6	OKC	29.39	29	28									
06	230	15	8	CLR	29.40	30	29									
07	240	12	8	CLR	29.42	29	28									
08	245	8	8	CLR	29.44	29	28									
09	245	9	8	CLR	29.46	31	30									
10	255	10	8	CLR	29.48	33	32									
11	245	15	8	CLR	29.48	33	33									
12	252	14	8	CLR	29.50	34	34									
13	260	10	8	CLR	29.52	36	36									
14	270	10	8	CLR	29.54	35	34									
15	280	10	8	CLR	29.56	34	33									
16	280	11	8	CLR	29.57	32	32									
17	295	13	8	CLR	29.59	30	30									
18	315	15	8	CLR	29.60	28	28									
19	315	16	8	CLR	29.62	28	28									
20	300	10	8	CLR	29.64	28	27									
21	285	8	8	CLR	29.66	28	28									
22	275	5	8	CLR	29.65	27	27									
23	265	6	8	CLR	29.65	27	27									
24	260	7	8	CLR	29.64	28	27									

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L. _____

MID. λ. _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Towed astern to USS Barry (DD-933) in Batt #123, Pier #1, in a net of three ships, outboard from the pier USS Blandy (DD-963), Barry, & Absbot. Standard morning line doubled stern line for and aft. Pumping green water from the pier down from Blandy. Helicopter condition YOKK and condition of readiness I am set. SOFA is COMBAT 2 in USS DECAOIA (AD-27)

[Signature]
Ensign USNR

04-06 Headed astern. 0745 Routine to crew on stern. No unauthorized observation.

[Signature]
Ensign USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) MONDAY 25 DEC, 19 61
(Day) (Date) (Month)

08-12 Moored as before. 1030 Received the daily magazine and smokeless powder inspection reports. All conditions normal.

P. F. Finch
Ens USN

12-16 Moored as before.

P. F. Finch
Ens USN

16-20 Moored as before. 1830 Com DesLant aboard USS Yosemite (AD-19) assumed SOPA East Narragansett Bay

P. F. Finch
Ens USN

20-24 Moored as before. 2210 Ens D. P. Grinnell 647591 returned to the ship from TAD CIC School Glynnco, Georgia

P. F. Finch
Ens USN

APPROVED:

EXAMINED:

A. W. Craig

U. S. N. COMMANDING

P. Coburn LTJG

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET—TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION +5R DATE TUESDAY 26 DECEMBER 1961
(Day) (Date) (Month)
AT/PASSAGE FROM BERTH 123 Pier 1 US NAVAL BASE, NEWPORT, RI

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVE		POSITION	ZONE	TIME	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)				
01	300	7	6	CLR	2972	33	33										
02	280	7	6	CLR	2974	32	32										
03	280	7	6	CLR	2976	32	32										
04	285	20	6	CLR	2982	32	32										
05	280	15	6	CLR	2982	32	32										
06	280	15	6	CLR	2982	32	32										
07	280	8	6	BKN	2984	33	32										
08	210	15	6	CLR	2982	33	31										
09	220	12	5	OVC	2982	34	32										
10	210	10	5	OVC	2984	34	32										
11	250	14	4	OVC	2986	34	32										
12	250	15	4	OVC	2984	36	34										
13	270	13	5	OVC	2984	37	36										
14	260	13	5	OVC	2984	38	37										
15	240	14	5	OVC	2983	40	39										
16	170	15	5	OVC	2983	42	40										
17	170	15	5	CLR	2983	40	41										
18	150	15	5	CLR	2985	38	37										
19	160	12	5	CLR	2983	36	36										
20	155	10	5	CLR	2990	36	35										
21	170	12	5	CLR	2992	36	35										
22	180	15	5	CLR	2994	35	34										
23	180	15	5	CLR	2988	35	34										
24	180	13	4	CLR	2988	35	34										

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)

SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L. _____
MID. A. _____

MILES STEAMED 0000-2400 _____

FUEL CONSUMED 0000-2400 _____

REMARKS

ΦΦ-Φ4 Moored port side to USS Barry (DD 933) in berth 123 at Pier #1 US Naval Base, Newport, R.I., using standard destroyer mooring lines doubled and stabin lines fore and aft, in a nest of three ships. Ships outboard from the pier are: USS Blandy (DD 943) USS Barry and USS Abbot. This ship receiving all services from the pier. SOPA is ComDeslant aboard USS Yosemite (AD-19). Ships present include various units of US Atlantic Fleet and yard and service craft.

P.T. Finch
Eng USN

Φ4-Φ8 Moored as before. Φ745 Mustered the crew at Quarters. Unauthorized absentee: Fauto, J. D. 540-35-41 SN, USN since 12ΦΦ 25 December 1961

P.T. Finch
Eng USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629)

TUESDAY 26 DECEMBER 1961
(Day) (Date) (Month)

08-12 Inspected as before. 1015 Made daily inspection of magazines and smokeless powder samples. Conditions reported normal.

Donald R. Grinnell
ENS, USN

12-16 Inspected as before. 1525 WADSTROM, ROBERT G. 5474413 ENFN was picking GI can up and hit his head on an overhead power cable. Then jerked the can up into his upper lip. He suffered lacerations of the upper lip requiring five stitches. Treatment administered by Dental Officer, USS YOSEMITE (AD19). Disposition: Placed on sick list.

Donald R. Grinnell
ENS, USN

16-20 Inspected as before.

Donald R. Grinnell
ENS, USN

20-24 Inspected as before.

Eugene J. Gallagher
ENS, USNR

APPROVED:

EXAMINED:

A. H. Craig

U. S. N. COMMANDING

Roburn L. R. 6

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION +5 (R) DATE WEDNESDAY 27 DECEMBER, 1961
AT/PASSAGE FROM BERTH #123, PIER #1 TO US NAVAL BASE, NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WIND	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	200	15	4	CLR	2998	35	34						
02	225	10	4	CLR	2996	34	34						
03	260	7	4	CLR	2996	36	35						
04	260	7	4	CLR	2995	36	35						
05	260	5	5	CLR	2995	36	35						
06	260	6	5	CLR	2995	37	36						
07	260	5	5	OVC	2991	38	36						
08	243	5	5	OVC	2990	38	37						
09	223	5	5	OVC	2991	39	38						
10	213	6	6	OVC	2992	40	39						
11	208	6	6	OVC	2993	42	41						
12	203	6	6	OVC	2985	44	43						
13	190	5	8	CLR	2984	45	44						
14	160	5	8	CLR	2985	47	45						
15	160	5	8	CLR	2980	49	47						
16	130	3	8	CLR	2977	49	47						
17	140	3	8	CLR	2977	49	49						
18	120	3	8	CLR	2976	47	47						
19	160	2	8	CLR	2973	45	44						
20	170	3	8	CLR	2973	43	41						
21	180	3	8	CLR	2971	43	41						
22	180	9	8	CLR	2971	45	43						
23	200	5	8	CLR	2972	46	45						
24	215	5	4	OVC	2973	44	43						

POSITION ZONE TIME

0800 L _____ BY _____

λ _____ BY _____

1200 L _____ BY _____

λ _____ BY _____

2000 L _____ BY _____

λ _____ BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L. _____

MID. λ. _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 Moored out side to USS BARRY (DD 933) in a row of three ships, outboard from pier #1 USS BLANDY (DD 943), BARRY AND ABBOT. ABBOT in berth #123, moored with standard destroyer mooring lines doubled and a stern line out forward to the BARRY and stern line out aft to the pier. Plant is cold, receiving all services from the pier. Modified condition YOKE and condition of readiness II are set. 50TH is COMDESLANT aboard USS YOSEMITE (AD 19)

Donald P. Grinnell
ENS, USN

0408 Moored as before. *0745 Mustered the crew at quarters. Unauthorized absentee: Fouts, JAMES D. 5403541 SN, USN AWOOL since 1200, 25 December 1961. *Purwant to Com Newport Serial 681 of 27 December 1961. LT Jg. DP6 M.T. Hill, USN 592506 left the ship for temporary additional duty with Commander Boston Naval Shipyard.

Donald P. Grinnell
ENS, USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ARROT (DD-629)

WEDNESDAY 27 DECEMBER, 19 61
(Day) (Date) (Month)

08-12. Moved as before 0822 YO-205 came alongside to starboard
1000 Made daily inspection of magazine and ammunitions powder
sample. Conditions normal. 1136 YO-205 departed from
alongside.

RB Ellis
Ensign USNR

12-16 Moved as before

RB Ellis
Ensign USNR

16-20 Moved as before

RB Ellis
Ensign USNR

20-24 Moved as before

RB Ellis
Ensign USNR

APPROVED:

A. H. Craig

U. S. N. COMMANDING

EXAMINED:

Robert C. T. 16

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET—TYPE B

USS ABSOR (DD-629) ZONE DESCRIPTION +5 (R) DATE THURSDAY 28 DECEMBER, 19 61
(Day) (Date) (Month)
AT/PASSAGE FROM Berth #123, Pier #1, US Naval Base TO Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WIND	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	315	3	5	ovc	29.73	44	44						
02	325	3	5	ovc	29.70	44	44						
03	330	3	5	ovc	29.68	44	44						
04	340	3	5	ovc	29.65	44	44						
05	360	2	5	ovc	29.63	44	44						
06	380	2	5	ovc	29.60	44	44						
07	355	2	2	RAIN	29.58	44	44						
08	320	2	2	RAIN	29.55	43	43						
09	330	2	2	RAIN	29.53	43	43						
10	340	5	2	RAIN	29.54	42	42						
11	340	5	2	RAIN	29.52	42	42						
12	335	6	2	RAIN	29.50	42	42						
13	345	4	2	RAIN	29.49	41	41						
14	340	2	2	RAIN	29.47	42	42						
15	330	5	2	RAIN	29.45	41	40						
16	330	2	2	RAIN	29.43	42	41						
17	330	2	2	RAIN	29.42	40	40						
18	320	2	2	RAIN	29.40	39	39						
19	310	2	2	RAIN	29.38	38	38						
20	300	3	2	RAIN	29.36	38	38						
21	285	4	5	ovc	29.38	37	37						
22	275	6	5	ovc	29.40	36	36						
23	280	6	5	ovc	29.38	35	35						
24	270	8	5	ovc	29.36	32	32						

POSITION ZONE TIME

0800 L _____ BY _____

λ _____ BY _____

1200 L _____ BY _____

λ _____ BY _____

2000 L _____ BY _____

λ _____ BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moved port side to USS Barry (DD-933) in berth #123, pier #1, US Naval Base, Newport, R.I., with standard mooring lines doubled in a mast of three ships, outward from the pier USS Blandy (DD-943), Barry, and ABSOR. Storm lines are out fore and aft. The plane is ash. Recovering power, fresh water and steam from the pier. Material Condition Yellow and condition of readiness IV are set. SOPA is Com Balant in USS Yosemite (AO-19).

RTB Elli
Encl. USNR.

04-08 Moved as before.

RTB Elli
Encl. USNR.

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABIBOT (DD 629)

THURSDAY
~~FRIDAY~~ 28 DEC 1961
(Day) (Date) (Month)

08-12 Moved as before. 0800 Mustered the crew on stations. Meeney, J. T. 5176967 RD2 absent over leave since 0730 this date. Houtz, J. 5403541 SA C VA since 1200, 25 Dec. 1961, ^{declared a straggler this date} 0815 YTB 217 and YTB 280 alongside to starboard. 0835 Breasted out along with USS BARRY (DD 933). 0845 heaved from lashing out. Moved port side to USS BARRY (DD 933) Pier 1, Berth 122 with standard destroyer mooring lines doubled fore and aft, and 8" storm forward to pier and evine cable to deadhead aft. 0855 YTB 217 and YTB 280 cleared from starboard. 0859 LT jg. Terrence E. Lytle, USN 633513/1100 reported aboard for temporary duty. 0937 Divers working and Cow USS BARRY (DD 933) from lunch, left off over port quarter. 1040 Made daily magazine and smokeless powder samples inspection. Conditions normal. 1045 Divers resumed from underwater work. 1121 USS HOOD (DD 655) moved alongside to starboard in berth 123.

John M. Kelleher
Ens. USNR

12-16 Moved as before. 1352 USS HOOD (DD 655) cleared from starboard shifting berth to Pier 2 Berth 224.

John M. Kelleher
Ens. USNR

16-20 Moved as before.

John M. Kelleher
Ens. USNR

20-24 Moved as before.

John M. Kelleher
Ens. USNR

APPROVED:

EXAMINED:

A. H. Craig U. S. N. COMMANDING

Robert L. T. U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION 7.5 R DATE FRIDAY 29 DEC, 19 61
(Day) (Date) (Month)
AT/PASSAGE FROM PIER 1 BERTH 122 TO US NAVAL BASE, NPI, P.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbol)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WIND	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	270	10	7	CLR	29.36	30	30						
02	270	10	7	CLR	29.38	30	30						
03	280	10	7	CLR	29.40	29	29						
04	285	15	7	CLR	29.42	28	28						
05	280	14	7	CLR	29.44	28	28						
06	270	10	7	CLR	29.42	28	28						
07	260	10	8	CLR	29.44	29	28						
08	255	10	8	CLR	29.46	29	28						
09	250	10	8	CLR	29.48	29	28						
10	240	10	8	CLR	29.50	27	26						
11	235	9	8	CLR	29.53	28	26						
12	215	8	8	CLR	29.53	29	28						
13	215	10	8	CLR	29.54	30	30						
14	220	12	8	CLR	29.56	31	30						
15	210	15	8	CLR	29.58	33	32						
16	220	17	8	CLR	29.60	33	32						
17	200	15	8	CLR	29.61	31	30						
18	210	16	8	CLR	29.59	31	30						
19	210	18	8	CLR	29.60	30	30						
20	200	18	7	CLR	29.60	30	30						
21	190	16	7	CLR	29.59	29	28						
22	190	15	7	CLR	29.60	27	26						
23	185	13	7	CLR	29.61	26	26						
24	190	12	7	CLR	29.61	26	26						

POSITION ZONE TIME

0800 L _____ BY _____

λ _____ BY _____

1200 L _____ BY _____

λ _____ BY _____

2000 L _____ BY _____

λ _____ BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L. _____

MID. λ. _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 Moved port side to USS BARRACUDA (DD 933) second ship in a 2 ship nest in Berth 122 Pier 1, U.S. NAVAL BASE, NEWPORT, P.I. with standard dewatering mooring lines doubled fore and aft and an 8" storm line to pier forward and a wire storm cable to dead-head aft. This ship is receiving all power and services from pier. SPM is Comdr. Tent aboard the U.S.S. YOSEMITE (AD 19). Ships present include various units of the U.S. ATLANTIC FLEET and local service craft.

John M. Kelleher
Ensign USNR

04-08 Moved as before. 0745 Mustered the crew at quarters C

Unauthorized absentees: MEENEY, J.F. 517 69 67 UA John M. Kelleher

Since 0730 28 December 1961. Ensign USNR

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629)

FRIDAY 29 DEC. 19 61
(Day) (Date) (Month)

08-12 Moored as before. 1000 Made daily inspection of magazines and smokeless powder samples. Conditions reported normal.

P.F. Finch
Ens USN

12-16 Moored as before.

P.F. Finch
Ens USN

16-20 Moored as before. 1909 FOUTS, J.D. 540-35-41 SN returned to the ship after being UA since 1200 25 December 1961, a period of about 4 days 7 hours and 9 minutes.

P.F. Finch
Ens USN

20-24 Moored as before.

P.F. Finch
Ens USN

APPROVED:

A. H. Craig

U. S. N. COMMANDING

EXAMINED:

Roburn

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION +5(R) DATE SATURDAY 30 DEC, 19 61
AT/PASSAGE FROM BERTH #122 Pier 1 U.S. NAVAL BASE, NEWPORT, RI

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbol)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVE	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	257	10	8	CLR	29.80	25	25						
02	257	10	8	CLR	29.82	24	24						
03	255	13	8	CLR	29.84	24	24						
04	258	15	8	CLR	29.86	23	22						
05	260	18	8	CLR	29.88	21	21						
06	255	19	8	CLR	29.90	22	22						
07	250	20	8	CLR	29.92	20	19						
08	250	20	8	CLR	29.94	20	19						
09	250	18	8	CLR	29.96	19	19						
10	260	15	8	CLR	29.98	19	19						
11	270	10	8	CLR	30.00	19	18						
12	250	12	8	CLR	29.97	23	22						
13	240	16	8	CLR	29.98	25	24						
14	235	20	8	CLR	29.95	27	27						
15	227	15	8	CLR	29.97	28	27						
16	200	15	8	CLR	29.94	28	27						
17	180	18	8	CLR	29.95	27	27						
18	200	18	8	CLR	29.98	27	27						
19	210	18	7	CLR	30.00	27	26						
20	230	17	7	CLR	30.00	26	25						
21	250	17	7	CLR	29.98	26	26						
22	250	16	7	CLR	29.96	24	24						
23	250	14	7	CLR	29.94	24	24						
24	250	10	7	CLR	29.93	23	23						

POSITION ZONE TIME

0800 L _____ BY _____

1200 L _____ BY _____

2000 L _____ BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L. _____

MID. λ. _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

ΦΦ-Φ4 Moored port side to USS Barry (DD 933) in a nest of two ships outboard from the pier BARRY and ABBOT. This ship in berth 122, moored with standard destroyer mooring lines doubled with storm line out forward to BARRY and a storm wire out aft to piling. The engineering plant is cold, receiving all services from the pier. SOPA is Com-Desant aboard USS Yosemite (AD 19).

P.F. Finch
Ens USN

Φ4-Φ8 Moored as before. Φ745 Mustered the crew on stations. 4 unauthorized absentees, Meeney, J. F. 517-69-67 RD2 since Φ73Φ 28 December 1961.

P.F. Finch
Ens USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABOT (DD629)

SATURDAY 30 DECEMBER, 19 61
(Day) (Date) (Month)

08-12 Moored as before. 0930 Made daily inspection of magazines and
Smokeless powder samples. Conditions reported normal.

Donald P. Grinnell
ENS., U.S.N.

12-16 Moored as before.

Donald P. Grinnell
ENS., U.S.N.

16-20 Moored as before.

Donald P. Grinnell
ENS., U.S.N.

20-24 Moored as before.

Donald P. Grinnell
ENS., U.S.N.

APPROVED:

EXAMINED:

A. W. Craig

U. S. N. COMMANDING

P. Coburn LTJG

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION +5 (R) DATE SUNDAY 31 DECEMBER, 19 61
AT/PASSAGE FROM BERTH #122 PIER #1 TO US NAVAL BASE, NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	W	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	250	10	6	CLR	29.63	23	23						
02	240	8	6	CLR	29.62	23	23						
03	230	10	6	CLR	29.63	22	22						
04	220	10	6	CLR	29.62	23	22						
05	200	8	6	CLR	29.64	22	22						
06	210	12	6	CLR	29.62	21	20						
07	220	12	8	CLR	29.66	20	20						
08	230	12	8	CLR	29.61	20	19						
09	240	12	8	CLR	29.62	20	19						
10	250	12	8	CLR	29.64	20	18						
11	250	10	8	CLR	29.66	22	20						
12	250	8	8	CLR	29.68	22	21						
13	255	13	8	CLR	29.69	23	23						
14	245	12	8	CLR	29.69	24	23						
15	240	10	8	CLR	29.68	24	24						
16	250	10	8	CLR	29.67	26	24						
17	260	9	8	CLR	29.66	28	27						
18	260	10	8	CLR	29.64	30	30						
19	250	10	8	CLR	29.62	31	30						
20	250	10	8	CLR	29.60	31	30						
21	250	10	8	CLR	29.62	30	30						
22	240	9	8	CLR	29.63	30	30						
23	245	7	8	CLR	29.63	29	29						
24	250	7	8	CLR	29.62	29	29						

POSITION ZONE TIME

0800
L _____ BY _____
λ _____ BY _____

1200
L _____ BY _____
λ _____ BY _____

2000
L _____ BY _____
λ _____ BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 Moored port side to USS BARRY (DD 933) in a row of two ships, outboard from pier #1, BARRY AND ABBOT. ABBOT in berth #122 moored with standard destroyer mooring lines doubled and a storm line out forward to the BARRY and a storm wire out aft to a piling outboard of pier #1. The plant is cold, all services are being received from the pier. Condition of readiness I and material condition Yoke (modified) are set through out the ship. SOPA is COMDESLANT aboard USS YOSEMITE (AD 19).

Donald P. Grinnell
ENS, U.S.N.

04-08 Moored as before.

Donald P. Grinnell
ENS, U.S.N.

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629)

SUNDAY 31 DECEMBER, 19 61
(Day) (Date) (Month)

08-12 Moored as before. 0800 Mustered the crew on station. Unauthorized
absentee: MEENEY, JOHN F. 5176967, RD 2, USN. AWOL since 0730
28 DECEMBER 1961. 1000 Made daily inspection of magazines and
smokeless powder samples. Conditions reported normal.

12-16 Moored as before.

Donald P. Grinnell
ENS., USN.
Donald P. Grinnell
ENS., USN.

16-20 Moored as before.

Donald P. Grinnell
ENS., USN.

20-24 Moored as before.

Donald P. Grinnell
ENS., USN.

APPROVED:

A. W. Craig

U. S. N. COMMANDING

EXAMINED:

Coburn 1506

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH